

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-16

Print Date: 2024-01-23

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Acrylic acid
Product Number : A103525
Brand : aladdin
CAS-No. : 79-10-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Skin corrosion/irritation (Category 1A), H314

Serious eye damage/eye irritation (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 2), H411



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger







Signal word

Hazard statement(s)

H226 Flammable liquid and vapor H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

H400 Very toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects
H311+H331 Toxic in contact with skin or if inhaled.

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P391 Collect spillage.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304+P340+P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/ doctor.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. If contact lenses are

worn and can be easily removed, remove Contact lenses. Continue rinsing.

Immediately call an emergency center/doctor.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : HPAA;2-Propenoic acid

Formula : C3H4O2

Molecular weight : 72.06

CAS No. : 79-10-7

EC-NO. : 201-177-9

Component	Classification	Concentration
Acrylic acid		
	no data available	Standard for
		GC,>99.7%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial respiration.

In case of skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.

In case of eye contact

Rinselmmediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

If swallowed

Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Flash back possible over considerable distance. Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

wear self-contained breathing and full protective gear.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2 Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Do not let this chemical enter the environment. Avoid dust formation.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 13°C f) Initial boiling point and boiling range 139°C



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

g) Flash point 48.5 °C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 1.05

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts violently in contact with acids, amines, driers, polymerization accelerators and easily oxidized materials. Polymerization can occur.

10.4 Conditions to avoid

Avoid temperatures below recommended storage temperature. Heating.

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Acute toxicity

Acute toxicity estimate Oral - 500 mg/kg (Calculation method)

LD50 Oral - Rat - male - 1,000 - < 2,000 mg/kg (OECD Test Guideline 423) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Acute toxicity estimate Inhalation - 4 h - 3.6 mg/l - vapor(Calculation method)

LC50 Inhalation - Rat - 4 h - 3.6 mg/l - vapor Remarks: (Lit.) (Regulation (EC) No 1272/2008, Annex VI) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Acute toxicity estimate Dermal - 1,000 mg/kg (Calculation method)

LD50 Dermal - Rabbit - male - 1,000 mg/kg Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Skin corrosion/irritation

Skin - Rabbit Result: Causes severe burns. (OECD Test Guideline 404) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes burns. Remarks: (IUCLID) Remarks: Causes serious eye damage.

Respiratory or skin sensitisation

Sensitisation test: - Guinea pig Result: negative Remarks: (Lit.)

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Result: negative Remarks: (National Toxicology Program) Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Metabolic activation: without metabolic activation Method: OECD Test Guideline 482 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Species: Rat Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 475 Result: negative Test Type: dominant lethal test Species: Mouse Cell type: Intrauterine Application Route: Oral Result: negative Remarks: (ECHA)

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

SECTION 12: Ecological information



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 27 mg/l - 96 h (US-EPA)

Toxicity to daphnia and other aquatic invertebrates flow-through test EC50 - Daphnia magna (Water flea) - 95 mg/l - 48 h (US-EPA)

Toxicity to algae IC50 - Desmodesmus subspicatus (green algae) - 0.13 mg/l - 72 h (Regulation (EC) No. 440/2008, Annex, C.3) Remarks: (IUCLID) EC10 - Desmodesmus subspicatus (green algae) - 0.03 mg/l - 72 h (Regulation (EC) No. 440/2008, Annex, C.3) Remarks: (ECHA)

Toxicity to bacteria static test NOEC - activated sludge - 100 mg/l - 30 min (ISO 8192)

Toxicity to fish(Chronic toxicity) flow-through test NOEC - Oryzias latipes - >= 10.1 mg/l - 45 d (OECD Test Guideline 210)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) flow-through test NOEC - Daphnia magna (Water flea) - 3.8 mg/l - 21 d (US-EPA)

12.2 Persistence and degradability

Biodegradability Result: 100 % - Readily eliminated from water (OECD Test Guideline 302B) Result: 81 % - Readily biodegradable.(OECD Test Guideline 301D)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Contaminated packaging

Dispose of as unused product.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 14: Transport information

DOT (US)

UN number: 2218 Packing group: III Class: 8 (3)

Proper shipping name: ACRYLIC ACID, Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

STABILIZE available available

Environmental Hazards: yes

IMDG

UN number: 2218 Packing group: III EMS-No: no data available

Proper shipping name: ACRYLIC ACID, STABILIZE

IATA

UN number: 2218 Packing group: III Class: 8 (3)

Proper shipping name: ACRYLIC ACID, STABILIZE

SECTION 15: Regulatory information

Please note that waste disposal should also meet local regulations. If applicable, the chemical meets the requirements of the Regulations on the Safety Management of Hazardous Chemicals (adopted by the State Council on December 4, 2013).

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-01-16 Print Date: 2024-01-23