

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-02-06

Print Date: 2024-02-12

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Calcium fluoride

Product Number : C104250
Brand : aladdin
CAS-No. : 7789-75-5

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

## 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

## 1.4 Emergency telephone number

Emergency Phone : 0532-83889090

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, oral (Category 5), H303

#### 2.2 GHS Label elements, including precautionary statements

Pictogram no data available

Signal word Warning

Hazard statement(s)

H303 May be harmful if swallowed

Precautionary statement(s)

P312 Call a POISON CENTER or doctor/... if you feel unwell.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

#### **SECTION 3: Composition/information on ingredients**



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

#### 3.1 Substances

Synonyms : Fluorite; Fluorspar

Formula : CaF2

Molecular weight : 78.07

CAS No. : 7789-75-5

EC-NO. : 232-188-7

Component	Classification	Concentration
Calcium fluoride		
	no data available	98%

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

#### 5.2 Special hazards arising from the substance or mixture



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Hydrogen fluoride calcium oxide

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

no data available

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and ventilated warehouse.



Shanghai Aladdin Biochemical Technology Co., Ltd. No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Hazard composition and occupational exposure limit:

Components	CAS No.	value	Control parameters	basis
Calcium fluoride	7789-75-5	PC-TWA	2 mg/m3	Occupational exposure limit of hazardous factors in the workplace Learn about harmful factors

Biological limit:



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Components	CAS No.	parameter	value	Biological specimen	basis
	7789-75- 5	fluorine	42 mmol/mol creatinine	urine	Occupational exposure biological limit
	remarks	End of work shift			
		fluorine	7 mmol/mol creatinine	urine	Occupational exposure biological limit
		End of work shift			
		fluorine	24 mmol/mol creatinine	urine	Occupational exposure biological limit
		Before work shift			
		fluorine	4 mmol/mol creatinine	urine	Occupational exposure biological limit
		Before work shift			

## 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance form: powder color: white

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available

e) Melting point/freezing point 1403°C f) Initial boiling point and boiling range 2500°C

g) Flash point no data available
h) Evaporation rate no data available
i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available I) Vapour density no data available no data available m) Relative density n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

## 9.2 Other safety information



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

no data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

no data available

#### 10.5 Incompatible materials

Strong acid; Oxidant

## 10.6 Hazardous decomposition products

no data available

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral Rat 4250 mg/kg

Remarks: Behavioral: lethargy (overall inhibition of vitality).

Behavioral: sports disorder

Respiratory disorders

(RTECS)

LC50 inhalation - rats - male and female - 4 h -> 5.07 mg/l - dust/smoke

(OECD Test Guideline 403)

Transcutaneous: no data

Skin corrosion/irritation

Skin - rabbit results: no skin irritation - 4 h

Serious eye damage/eye irritation Eye rabbit result: no eye irritation



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Respiratory or skin sensitisation

Local lymph node test (LLNA) - mouse results: negative

Germ cell mutagenicity

Test type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with or without metabolic activation Method: OECD Test Guideline 471 Result: Negative Test type: mutagenicity (mammalian cell test): chromosome mutation is negative Test system: Chinese hamster lung cells Metabolic activation: with or without metabolic activation Method: OECD Test Guideline 473 Result: Negative Test type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with or without metabolic activation Method: OECD Test Guideline 476 Result: Negative

Carcinogenicity

This product is not or does not contain components listed as carcinogens by IARC, ACGIH, EPA, and NTP

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

**Additional Information** 

Repeated exposure toxicity - rats - male and female - inhalation - 20 days

Registration of toxic effects of chemical substances: EW1760000

Fluoride ion can reduce serum calcium concentration, which may lead to fatal hypocalcemia.

To the best of our knowledge, this chemical, physical and toxic property has not been completely studied.

Cannot exclude:

Toxicity cannot be ruled out, but the compound is less dangerous because of its poor water solubility

Follow good industrial hygiene and safety practices.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

no data available

#### 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

#### 13.1 **Disposal considerations**

**Product** 

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.

Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

DOT (US)

UN number: no data available Packing group: no data available Class: no data available

Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data Proper shipping name: no data

available available available

Environmental Hazards: no data available

**IMDG** 

UN number: no data available EMS-No: no data available Packing group: no data available

Proper shipping name: no data available

IATA

UN number: no data available Packing group: no data available Class: no data available

Proper shipping name: no data available

#### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-02-06 Print Date: 2024-02-12