

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-02-01

Print Date: 2024-02-08

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Cadmium selenide quantum dot (CdSe core) kit

Product Number : C396248
Brand : aladdin

CAS-No. : no data available

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 4), H312

Specific target organ toxicity - repeated exposure, Oral (Category 2), Kidney, Bone, H373

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

2.2 GHS Label elements, including precautionary statements



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Pictogram







Signal word Danger

Hazard statement(s)

H312 Harmful in contact with skin

H350 May cause cancer

H373 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

H301+H331 Toxic if swallowed or if inhaled

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P311 Call a POISON CENTER or doctor/...

P330 Rinse mouth.
P391 Collect spillage.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : no data available
Formula : no data available
Molecular weight : no data available
CAS No. : no data available
EC-NO. : no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Component	Classification	Concentration
Cadmium selenide quantum dot (CdSe core) kit		
	Acute Tox. 3; Acute Tox. 4; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H301, H331, H312, H373, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 10	50umol/L in hexanes,525- 625nm peak emissions

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Cadmium/cadmium oxides Selenium/selenium oxides Not combustible. Ambient fire may liberate hazardous vapours.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

5.3 Advice for firefighters

no data available

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Do not let product enter drains

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions. Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Moisture sensitive.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls General industrial hygiene practice.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

no data available

Control of environmental exposure

no data available

a) Appearance

r) Viscosity

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

b) Odour	no data available		
c) Odour Threshold	no data available		
d) pH	no data available		
e) Melting point/freezing point	no data available		
f) Initial boiling point and boiling range	no data available		
g) Flash point	no data available		
h) Evaporation rate	no data available		
i) Flammability (solid, gas)	no data available		
j) Upper/lower flammability or			
explosive limits	no data available		
k) Vapour pressure	no data available		
I) Vapour density	no data available		
m) Relative density	no data available		
n) Water solubility	no data available		
o) Partition coefficient: n-octanol/water	no data available		
p) Auto-ignition temperature	no data available		
q) Decomposition temperature	no data available		

Phone: 400-620-6333 Email: Sale@aladdin-e.com Web: https://www.aladdin-e.com

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

s) Explosive properties N

no data available

t) Oxidizing properties N

no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

acids, Oxidizing agents

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 100,1 mg/kg

(Expert judgment)

Acute toxicity estimate Inhalation - 4 h - 0,51 mg/l

(Expert judgment)

Acute toxicity estimate Dermal - 1.100 mg/kg

(Expert judgment)

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 4 h (OECD Test Guideline 431) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride Skin -



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 1 h (OECD Test Guideline 405) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Cadmium telluride

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Cadmium telluride

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

Ingestion - May cause damage to organs through prolonged or repeated exposure. - Kidney, Bone

Aspiration hazard

no data available

Additional Information

RTECS: EV2300000

Acute inhalation exposure to cadmium fumes may cause "metal fume fever" with flu-like symptoms of weakness, fever, headache, chills, nausea, vomiting, dizziness, sweating, muscular pain, cough and difficulty breathing. Acute pulmonary edema may develop within 24 hours and reaches a maximum by three days. The first chronic effect of exposure to cadmium is generally kidney damage, manifested by excretion of excessive protein in the urine, followed by anemia, teeth discoloration and loss of smell. Cadmium also is believed to cause pulmonary emphysema and bone disease. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia

and other aquatic

invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - 0,031 mg/l -

48 h



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 0,084 mg/l - 72h

(OECD Test Guideline 201)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2570 Packing group: III Class: 6.1

Proper shipping name: CADMIUM Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

COMPOUND (Cadmium selenide) available available

Environmental Hazards: yes

IMDG

UN number: 2570 Packing group: III EMS-No: no data available

Proper shipping name: CADMIUM COMPOUND (Cadmium selenide)

IATA

UN number: 2570 Packing group: III Class: 6.1

Proper shipping name: CADMIUM COMPOUND (Cadmium selenide)



Shanghai Aladdin Biochemical Technology Co., Ltd. No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-02-01 Print Date: 2024-02-08