

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Nickel chloride hexahydrate

Product Number : N112126
Brand : aladdin
CAS-No. : 7791-20-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Skin irritation (Category 2), H315

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 2), H341

Carcinogenicity, Inhalation (Category 1A), H350i

Reproductive toxicity (Category 1B), H360D

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Lungs, H372



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

2.2 GHS Label elements, including precautionary statements

Pictogram	(A) (B) (B)
Signal word	Danger

Hazard	statement(s)
i iuzui u	Jeacenne net (3)

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 Suspected of causing genetic defects

H350 May cause cancer

H360 May damage fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

H301+H311 Toxic if swallowed or in contact with skin

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] Wear respiratory protection.

P391 Collect spillage.

P302+P352 IF ON SKIN: wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.

P342+P311 IF experiencing respiratory symptoms: Call a POISON CENTER/doctor/...

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P310+P330 IF SWALLOWED: Rinse mouth.Immediately call a POISON CENTER/doctor/.
P304+P340+P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER/doctor.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Nickel dichloride hexahydrate

Formula : CI2Ni.6H2O

Molecular weight : 237.69

CAS No. : 7791-20-0

EC-NO. : 231-743-0

Component	Classification	Concentration	
Nickel chloride hexahydrate			
	Acute Tox. 3; Skin Irrit. 2; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A;	Premium-Grade	
	Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H331,	Reagents, ≥98%	
	H315, H334, H317, H341, H350i, H360D, H372, H400, H410		
	Concentration limits: >= 1 %: STOT RE 1, H372; 0,1 - < 1 %: STOT RE 2,		

H373; >= 20 %: Skin Irrit. 2, H315; >= 0,01 %: Skin Sens. 1, H317; M-Factor

- Aquatic Acute: 1 - Aquatic Chronic: 1

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

no data available

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas Nickel/nickel oxides Not combustible. Ambient fire may liberate hazardous vapours

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions. Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Keep the container closed and store it in a dry, ventilated and cool place.

7.3 Specific end use(s)

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If it is safe, prevent further leakage or spillage and do not allow the product to enter the sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 140°

f) Initial boiling point and boiling range g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 1.92

n) Water solubility
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature
q) Decomposition temperature
r) Viscosity
s) Explosive properties N
no data available
no data available
no data available
no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Violent reactions possible with: Alkali metals

10.4 Conditions to avoid

Avoid moisture

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 175 mg/kg (OECD Test Guideline 401) Remarks: (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride

LC50 Inhalation - Rat - male - 4 h - 0.593 mg/l - dust/mist (OECD Test Guideline 403) Remarks: (anhydrous substance)



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

The value is given in analogy to the following substances: nickel(II) chloride Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin irritation. (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 168 h (OECD Test Guideline 405) Remarks: (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride Remarks: slight irritation

Respiratory or skin sensitisation

May cause allergic respiratory and skin reactions (anhydrous substance)

Germ cell mutagenicity

Suspected of causing genetic defects. Test Type: gene mutation test Test system: mammalian cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: positive Test Type: Ames test Test system: Salmonella typhimurium Result: negative Remarks: (Lit.) Test Type: Chromosome aberration test Species: Mouse Application Route: Intraperitoneal Result: positive Remarks: (ECHA)

Carcinogenicity

Positive evidence from human epidemiological studies (inhalation)

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Lungs The value is given in analogy to the following substances: nickel(II) chloride

Aspiration hazard

no data available

Additional Information

RTECS: QR6480000

Gastrointestinal disturbance To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. The following applies to soluble nickel compounds in general: inorganic nickel has an adstringent effect on mucous membranes. Sensitisation with allergic manifestations is possible in predisposed persons. In some cases nickel dermatitis may manifest itself. Depending on the water-solubility, nickel and its compounds display a more or less distinct carcinogenicity, with the readily soluble nickel compounds obviously entailing the lesser risk. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 15.3 mg/l - 96 h Remarks: (ECHA) (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Toxicity to daphnia and other aquatic invertebrates static test LC50 - Ceriodaphnia dubia (water flea) - 0.013 mg/l - 48 h Remarks: (ECHA) (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride

Toxicity to algae static test ErC50 - green algae - 0.243 mg/l - 72 h (OECD Test Guideline 201) Remarks: (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride

Toxicity to fish(Chronic toxicity) flow-through test LC50 - Cyprinodon variegatus (sheepshead minnow) - 27.8 mg/l - 28 d Remarks: (ECHA) (anhydrous substance)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC - Hyalella azteca (Amphipod) - 0.029 mg/l - 14 d Remarks: (ECHA) (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 3288 Packing group: III Class: 6.1



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Proper shipping name: Toxic solid,

Reportable Quantity(RQ): no data

Poison Inhalation Hazard: no data

inorganic, n.o.s. (Nickel(II) chloride

available

hexahydrate)

Environmental Hazards: yes

IMDG

UN number: 3288 Packing group: III EMS-No: no data available

available

Proper shipping name: Toxic solid, inorganic, n.o.s. (Nickel(II) chloride hexahydrate)

IATA

UN number: 3288 Class: 6.1 Packing group: III

Proper shipping name: Toxic solid, inorganic, n.o.s. (Nickel(II) chloride hexahydrate)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Revision Date: 2025-09-20 Print Date: 2025-09-26 Version: v1