

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-30 Print Date: 2025-10-03

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : p-Xylene-d10
Product Number : P102278
Brand : aladdin
CAS-No. : 41051-88-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

2.2 GHS Label elements, including precautionary statements

Pictogram





Signal word

Hazard statement(s)

H226 Flammable liquid and vapor
H312 Harmful in contact with skin

H315 Causes skin irritation H332 Harmful if inhaled

H312+H332 Harmful in contact with skin or if inhaled

Precautionary statement(s)



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P264	Wash hands [and] thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P321	Specific treatment (see on this label).	
P302+P352	IF ON SKIN: wash with plenty of water.	
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P370+P378	In case of fire: Use to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container to an approved waste disposal plant.	
P317	Get emergency medical help.	
P332+P317	If skin irritation occurs: Get medical help.	

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms: 1,4-Dimethylbenzene-d10

Formula : C6D4(CD3)2

Molecular weight : 116.23

CAS No. : 41051-88-1

EC-NO. : 255-193-6

Component	Classification	Concentration
p-Xylene-d10		
	no data available	≥98 atom% D

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

Transfer to fresh air If breathing stops, perform artificial respiration If symptoms appear, seek medical treatment In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

4.2 Most important symptoms and effects, both acute and delayed

Possible damage to the liver, Possible kidney damage., Hematology, anesthesia, lung irritation, chest pain, pulmonary edema, central nervous system dysfunction, dermatitis, digestive system disorders

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.- Carbon oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Water spray can be used to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all

 concentrations. Vapours can accumulate in low
 <br/

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment

br/>must be avoided.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in

- container for disposal according to local regulations (see section 13).

- br/>

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

br/>

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed
and kept upright to prevent leakage.

Store under inert gas. hygroscopic

br/>

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

br/>workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate

 government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective
br/>equipment must be selected according to the concentration and amount of the dangerous substance at the specific
br/>workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

purpose

respirator (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the
br/>respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components

tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

such as NIOSH (US) or CEN (EU).

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

such as NIOSH (US) or CEN (EU).

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the

very combination (US) or type ABEK (EN 14387) respirator. If the

very combination (US) or type ABEK (EN 14387) respirator. If the

very combination (US) or type ABEK (EN 14387) respirator. If the

very combination (US) or type ABEK (EN 14387) respirator. If the

very combination (US) or type ABEK (EN 1

Control of environmental exposure

no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance no data available
b) Odour no data available
c) Odour Threshold no data available
d) pH no data available
e) Melting point/freezing point 12-13°C

f) Initial boiling point and boiling range g) Flash point 30 °C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available no data available I) Vapour density m) Relative density no data available no data available n) Water solubility o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapours may form explosive mixture with air.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified asprobable, possible or confirmed human carcinogen by IARC.ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as acarcinogen or potential carcinogen by ACGIH.NTP: No component of this product present at levels greater than or equal to 0.1% is identified as aknown or anticipated carcinogen by NTP.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as acarcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 2.6 mg/l - 96.0 h LC50 - Carassius auratus (goldfish) - 18 mg/l - 24.0 h

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

hr/>no data available

br/>>

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material
br/>is highly flammable.Offer surplus and non-recyclable solutions to a licensed disposal company.Contact a licensed
br/>professional waste disposal service to dispose of this material.

Contaminated packaging

no data available

SECTION 14: Transport information

DOT (US)

UN number: 1307 Packing group: III Class: 3

Proper shipping name: XYLENES Reportable Quantity(RQ): no data Poison Inhalation Hazard: No

available

Environmental Hazards: No

IMDG

UN number: 1307 Packing group: III EMS-No: No

Proper shipping name: XYLENES

IATA



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

UN number: 1307 Packing group: III Class: 3

Proper shipping name: XYLENES

SECTION 15: Regulatory information

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2025-09-30 Print Date: 2025-10-03