

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-06-03 Print Date: 2025-06-03

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Potassium dichromate solution

Product Number : P112172
Brand : aladdin

CAS-No. : 7778-50-9(Water)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity - Oral Category 4

Acute toxicity - Inhalation (Dusts/Mists) Category 3

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

Respiratory sensitization Category 1

Skin sensitization Category 1

Germ cell mutagenicity Category 1B

Carcinogenicity Category 1A

Reproductive Toxicity Category 1B



P391

P301+P310

Shanghai Aladdin Biochemical Technology Co., Ltd.

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Specific target organ toxicity (single exposure) Category 1

Category 1 central nervous system, respiratory system, cardiovascular system, blood system, liver, kidneys

Specific target organ toxicity (repeated exposure) Category 1

Category 1 respiratory system

Acute aquatic toxicity Category 2

Chronic aquatic toxicity Category 2

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340	May cause genetic defects
H350	May cause cancer
H360	May damage fertility or the unborn child
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary statement(s)	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] Wear respiratory protection.
P310	Immediately call a POISON CENTER or doctor/physician.
P333	If skin irritation or rash occurs:

IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

Collect spillage.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : Potassium bichromate

Formula : K2Cr2O7 Molecular weight : 294.18

Component Classification Concentration

Water

CAS-No.: 7732-18-5 EC-No.: 231-791-2

Potassium dichromate

Analytical Titrant

CAS-No.: 7778-50-9 Oxidizing solid category 2; Acute toxicity category 3; Acute toxicity

EC-No.: 231-906-6 category 2; Acute toxicity category 4; Skin corrosion/irritation category 1B; Serious eye damage/eye irritation category 1; Respiratory allergy category 1; Skin allergy category 15

category 1; Skin allergy category 1; Germ cells Mutagenicity category 1B; Carcinogenicity category 1A; Reproductive toxicity category 1B; Specific target organ toxicity (single exposure) Category 3; Specific target organ toxicity (repeated exposure) Category 1; Acute (short-term) aquatic hazard category 1; Long-term aquatic hazard category 1; H272, H301, H301, H301, H330, H330, H330, H312, H314, H318, H334, H317, H340, H350, H360, H335, H372, H400, H410 Concentration limit: >= 5 %: STOT

SE 3, H335; M-factor-Aquatic Acute: 10-Aquatic Chronic: 1

SECTION 4: First aid measures

4.1 Description of first aid measures



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

no data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Orange to yellow

b) Odour no data available c) Odour Threshold no data available no data available d) pH e) Melting point/freezing point no data available f) Initial boiling point and boiling range no data available g) Flash point no data available no data available h) Evaporation rate i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 1

n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Extremes of temperature and direct sunlight

10.5 Incompatible materials

Reducing agent

10.6 Hazardous decomposition products

Metal oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 90,5 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - female - 4 h - 0,083 mg/l

(OECD Test Guideline 403)

Acute toxicity estimate Dermal - Expert judgment - 1.100 mg/kg

Skin corrosion/irritation

Skin - Rabbit Result: Causes burns. - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Patch test: - Human Result: positive Remarks: (IUCLID)

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

no data available

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Cardiovascular system



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Aspiration hazard

no data available

Additional Information

RTECS: HX7680000

Ulceration, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Danio rerio (zebra fish) - 58,5 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 0,035 mg/l - 48 h

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Selenastrum capricornutum (green algae) - 0,233 mg/l - 72 h

Remarks: (ECHA)

Toxicity to bacteria IC50 - activated sludge - 30 mg/l - 3 h

Remarks: (in analogy to similar products) (ECHA)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - $180 \, d$ - $200 \, \mu g/I$ (potassium dichromate) Bioconcentration factor (BCF): 17,4

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 3287 Packing group: III Class: 6.1

Proper shipping name: Toxic liquid, Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

inorganic, n.o.s. (Potassium dichromate) available available

Environmental Hazards: yes

IMDG

UN number: 3287 Packing group: III EMS-No: no data available

Proper shipping name: Toxic liquid, inorganic, n.o.s. (Potassium dichromate)

IATA

UN number: 3287 Packing group: III Class: 6.1

Proper shipping name: Toxic liquid, inorganic, n.o.s. (Potassium dichromate)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2025-06-03 Print Date: 2025-06-03