

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-29

Print Date: 2024-02-05

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Petroleum ether

Product Number : P116179
Brand : aladdin
CAS-No. : 8032-32-4

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

## 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

## 1.4 Emergency telephone number

Emergency Phone : 0532-83889090

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Skin irritation (Category 2), H315

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Specific target organ toxicity - repeated exposure, Inhalation (Category 2), H373

Aspiration hazard (Category 1), H304

Long-term (chronic) aquatic hazard (Category 2), H411

## 2.2 GHS Label elements, including precautionary statements



#### No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Pictogram	
Signal word	Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn child

H373 Causes damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P331 Do NOT induce vomiting.

P391 Collect spillage.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P308+P313 IF exposed or concerned: Get medical advice/attention.
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms : Petroleum benzin Petroleum spirit Benzin Naphtha

Formula : no data available Molecular weight : no data available

CAS No. : 8032-32-4 EC-NO. : 232-453-7

Component	Classification	Concentration
Petroleum ether		
	Flammable liquids Category 1; Skin corrosion/irritation Category 2; Germ cell mutagenicity Category 1B; Specific target organ toxicity - single exposure Category 3; Aspiration hazard Category 1; Shortterm (acute) aquatic hazard Category 2; Longterm (chronic) aquatic hazard Category 2; H224, H315, H340, H336, H304, H401, H411	for GC,for environmental analysis

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Suitable extinguishing media Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media no data available

#### 5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known. Combustible.Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store at 2-8°C. Keep container tightly closed in a dry and well-ventilated place.

## 7.3 Specific end use(s)

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(FU)

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

#### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless clear

b) Odour no data available c) Odour Threshold no data available d) pH no data available e) Melting point/freezing point no data available

f) Initial boiling point and boiling range 30-60°C

g) Flash point no data available h) Evaporation rate no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available no data available I) Vapour density m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

### 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heat, flames, and sparks. Extreme temperatures and direct sunlight. Warming.

#### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

no data available

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 5,000 mg/kg

(OECD Test Guideline 401)



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

LC50 Inhalation - Rat - male and female - 4 h - > 5.61 mg/l - vapor

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 2 s (OECD Test Guideline 405)

Respiratory or skin sensitisation

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

No data available Test Type: Ames test Test system: S. typhimuriumMetabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Micronucleus test Species: Rat Cell type: Bone marrow Application Route: Inhalation Method: US-EPA Result: negative Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application Route: Intraperitoneal Method: OECD Test Guideline 475 Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. Aspiration hazard The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Aspiration hazard

Aspiration may cause pulmonary edema and pneumonitis.

Additional Information

RTECS: 016180000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

LC50 - Fish - 1 - 10 mg/l - 96 h

Remarks: Expert judgment

### 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

#### 13.1 Disposal considerations

**Product** 

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

DOT (US)

UN number: 1268 Packing group: II Class: 3

Proper shipping name: PETROLEUM Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

DISTILLATES, N.O.S. available available

**Environmental Hazards: YES** 

**IMDG** 

UN number: 1268 Packing group: II EMS-No: no data available

Proper shipping name: PETROLEUM DISTILLATES, N.O.S.

IATA

UN number: 1268 Packing group: II Class: 3

Proper shipping name: PETROLEUM DISTILLATES, N.O.S.



Shanghai Aladdin Biochemical Technology Co., Ltd. No. 809, Chuhua Branch Road, Fengxian District, Shanghai

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-01-29 Print Date: 2024-02-05