

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-15

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Sodium chromate tetrahydrate

Product Number : \$112871

Brand : aladdin

CAS-No. : 10034-82-9

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

## 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

# 1.4 Emergency telephone number

Emergency Phone : 0532-83889090

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 2), H330

Acute toxicity, Dermal (Category 4), H312

Skin corrosion (Sub-category 1B), H314

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1B), H350

Reproductive toxicity (Category 1B), H360FD



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Specific target organ toxicity - repeated exposure (Category 1), H372

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

### 2.2 GHS Label elements, including precautionary statements

Pictogram		<b>匙</b>

Signal word Danger

Hazard statement(s)

H301 Toxic if swallowed

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H330 Fatal if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 May cause genetic defects

H350 May cause cancer

H360 May damage fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P285 In case of inadequate ventilation wear respiratory protection.
P310 Immediately call a POISON CENTER or doctor/physician.

P330 Rinse mouth.
P391 Collect spillage.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P501 Dispose of contents/container to an approved waste disposal plant.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Disodium chromate Formula : Na2Cr04  $\cdot$  4H2O

 Molecular weight
 : 234.03

 CAS No.
 : 10034-82-9

 EC-NO.
 : 231-889-5

Component	Classification	Concentration
Sodium chromate tetrahydrate		
	Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H312, H314, H318, H334, H317, H340, H350, H360, H372, H400, H410 Concentration limits	reagent grade,98.0%

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

## 5.2 Special hazards arising from the substance or mixture

Sodium oxides Chromium oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Advice on safe Avoid exposure - obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Moisture sensitive



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# 7.3 Specific end use(s)

no data available

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: crystals color: yellow

b) Odour
c) Odour Threshold
d) pH
no data available
f) Initial boiling point and boiling range
g) Flash point
no data available
no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Avoid moisture.

## 10.5 Incompatible materials

Strong reducing agents, Organic materials, Powdered metals

#### 10.6 Hazardous decomposition products

Sodium oxides. Chromium oxide.

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

#### 12.2 Persistence and degradability

Product contains heavy metals. Discharge into the environment must be avoided. May persist. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

#### 12.3 Bioaccumulative potential

Product has a high potential to bioconcentrate

# 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

#### 12.6 Other adverse effects

Very toxic to aquatic life.

#### **SECTION 13:**

#### 13.1 Disposal considerations

**Product** 

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

DOT (US)

UN number: 3290 Packing group: II Class: 6.1(8)

Proper shipping name: Toxic solid, Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

corrosive, inorganic, n.o.s. (Sodium available available

chromate tetrahydrate)
Environmental Hazards: NO

**IMDG** 

UN number: 3290 Packing group: II EMS-No: no data available

Proper shipping name: Toxic solid, corrosive, inorganic, n.o.s. (Sodium chromate tetrahydrate)

IATA

UN number: 3290 Packing group: II Class: 6.1(8) Proper shipping name: Toxic solid, corrosive, inorganic, n.o.s. (Sodium chromate tetrahydrate)

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-01-10 Print Date: 2024-01-15