

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

Date of Testing: 2026-03-28 11:43:08
Date of Next Testing: 2030-03-27 11:43:08
Product Name: **Ammonium formate**
CAS Number: 540-69-2
Specifications & Purity: HPLC grade, ≥99%
Lot #: C2618341
SKU #: **A100185**
Version: **0**
Analysis #: **682507**
Storage Temperature: Room temperature, Desiccated

Parameter	Limit Values	Result
Water by Karl Fischer	0-2 (%)	1.00000 %
pH	5.5-7.5	6.20000
Melting point	119-121 (°C)	119.00000 °C
Absorbance (at 270 nm)	0-0.03	0.00200
UV Absorbance 280nm	0-0.02	0.00100
Absorbance (at 250 nm)	0-0.05	0.00430
UV Absorbance 500nm	0-0.02	0.00150
Purity(Nonaqueous Titration)	98.5-101.5 (%)	99.99470 %
UV Absorbance 260nm	0-0.04	0.03000
Filtration test	corresponds to standard	corresponds to standard
RP gradient test	pass test	pass test
Solubility in H ₂ O , colorless and clear(0.1 g/mL at 25 °C)	pass	Pass
X-Ray Diffraction	Conforms to Structure	Conforms to Structure
λ, 10% in H ₂ O	Pass	Pass



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su". The signature is written in a cursive, flowing style.

John Su
QA & QC Manager