

## Certificate of Analysis

Date of Testing: 2024-02-27 11:53:03

Date of Next Testing: 2025-02-26 11:53:03

Product Name: **Ammonia solution**

CAS Number: 1336-21-6

Specifications & Purity: ≥28% NH3 in H2O, Electronic grade

Lot #: B2422302

SKU #: **A112083**

Version: **1**

Analysis #: **317145**

Storage Temperature: Store at 2-8°C, Protected from light

Parameter	Limit Values	Result
Cadmium(Cd)	0-50 (ppb)	0.00 ppb
Calcium(Ca)	0-0.5 (ppm)	0.00 ppm
Assay(as NH3)	28-30 (%)	28.92 %
Germanium (Ge)	0-50 (ppb)	0.00 ppb
Magnesium(Mg)	0-50 (ppb)	0.00 ppb
Beryllium(Be)	0-50 (ppb)	0.00 ppb
Barium(Ba)	0-50 (ppb)	0.00 ppb
Stannum(Sn)	0-50 (ppb)	0.00 ppb
Gallium(Ga)	0-50 (ppb)	0.00 ppb
Sb	0-50 (ppb)	0.00 ppb
Aluminum(Al)	0-50 (ppb)	0.00 ppb
Copper(Cu)	0-40 (ppb)	0.00 ppb
Cobalt(Co)	0-50 (ppb)	0.00 ppb
Chromium(Cr)	0-50 (ppb)	0.00 ppb
Lithium(Li)	0-50 (ppb)	0.00 ppb
Titanium(Ti)	0-50 (ppb)	0.00 ppb
Ta	0-50 (ppb)	0.00 ppb
Zirconium(Zr)	0-50 (ppb)	0.00 ppb
Chloride (Cl-)	0-0.3 (ppm)	0.02 ppm
Silver (Ag)	0-20 (ppb)	0.02 ppb
Niobium(Nb)	0-50 (ppb)	0.02 ppb
Sodium(Na)	0-50 (ppb)	0.03 ppb
Sulfate(SO42-)	0-0.8 (ppm)	0.00 ppm
(Pb)Lead	0-25 (ppb)	0.02 ppb
Potassium(K)	0-50 (ppb)	0.03 ppb

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Parameter	Limit Values	Result
Manganese(Mn)	0-50 (ppb)	0.02 ppb
Bismuth(Bi)	0-50 (ppb)	0.02 ppb
(As)Arsenic	0-50 (ppb)	0.02 ppb
Molybdenum(Mo)	0-50 (ppb)	0.02 ppb
Zinc(Zn)	0-30 (ppb)	0.03 ppb
Phosphate(PO4)	0-0.4 (ppm)	0.00 ppm
Boron(B)	0-50 (ppb)	0.03 ppb
Vanadium(V)	0-50 (ppb)	0.02 ppb
Nickel(Ni)	0-20 (ppb)	0.02 ppb
Iron(Fe)	0-50 (ppb)	0.02 ppb
Aurum(Au)	0-50 (ppb)	0.02 ppb
Strontium(Sr)	0-50 (ppb)	10.00 ppb

A handwritten signature in black ink that reads "John Su".

John Su  
QA & QC Manager