

Certificate of Analysis

Date of Testing: 2022-06-25 09:40:51
Date of Next Testing: 2026-06-24 09:40:51
Product Name: **Ammonium chloride**
CAS Number: 12125-02-9
Specifications & Purity: Guaranteed Reagent,99.8%
Lot #: F2223025
SKU #: **A116366**
Analysis: **055251**
Storage Temperature: Desiccated

Parameter	Limit Values	Result
Sulfate(SO42-)	0-0.002 (%)	0.00 %
Potassium(K)	0-0.005 (%)	0.00 %
Sodium(Na)	0-0.005 (%)	0.00 %
Insoluble matter in H2O	0-0.002 (%)	0.00 %
Assay	99.8-100 (%)	99.99 %
Iron(Fe)	0-0.0002 (ppm)	0.00 ppm
Lead(Pb)	0-0.0001 (%)	0.00 %
PH(5% in water,25°C)	4.5-5.5	5.00
Nickel(Ni)	0-0.0001 (%)	0.00 %
Magnesium(Mg)	0-0.0005 (%)	0.00 %
Copper(Cu)	0-0.0002 (%)	0.00 %
Zinc(Zn)	0-0.0002 (%)	0.00 %
Calcium(Ca)	0-0.0005 (µg/mg)	0.00 µg/mg
Phospate(PO4)	0-0.0002 (%)	0.00 %
Ignition Residue (as sulfate)	0-0.005 (%)	0.00 %
X-Ray Diffraction	Conforms to Structure	Conforms to Structure



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su". The signature is written in a cursive, flowing style.

John Su
QA & QC Manager