

Certificate of Analysis

Date of Testing: 2025-02-08 11:09:08

Date of Next Testing: 2028-02-08 11:09:08

Product Name: **Ammonium sulfate**

CAS Number: 7783-20-2

Specifications & Purity: PrimorTrace™ Ultra, SuperPure grade, ≥99.9999% metals basis

Lot #: B2506015

SKU #: **A434060**

Version: **1**

Analysis #: **242723**

Storage Temperature: Room temperature

Parameter	Limit Values	Result
Purity	99.9999-100 (%)	100.00 %
Assay(acidimetric)	99.5-102.5 (%)	100.76000 %
Chloride(Cl-)	0-3 (ppm)	0.00 ppm
Phosphate(PO4)	0-5 (ppm)	0.00000 ppm
Silver(Ag)	0-0.01 (ppm)	0.00 ppm
Aluminium(Al)	0-0.05 (ppm)	0.00000 ppm
Barium(Ba)	0-0.05 (ppm)	0.00 ppm
Beryllium(Be)	0-0.01 (ppm)	0.00 ppm
Bismuth(Bi)	0-0.05 (ppm)	0.00 ppm
Calcium(Ca)	0-0.1 (ppm)	0.00 ppm
Cadmium(Cd)	0-0.005 (ppm)	0.00 ppm
Cobalt(Co)	0-0.005 (ppm)	0.00 ppm
Chromium(Cr)	0-0.01 (ppm)	0.00000 ppm
Copper(Cu)	0-0.005 (ppm)	0.00 ppm
Iron(Fe)	0-0.05 (ppm)	0.00 ppm
Gallium(Ga)	0-0.05 (ppm)	0.00 ppm
Indium(In)	0-0.05 (ppm)	0.00 ppm
Potassium(K)	0-0.1 (ppm)	0.00 ppm
Lithium(Li)	0-0.05 (ppm)	0.00 ppm
Magnesium(Mg)	0-0.01 (ppm)	0.00 ppm
Manganese(Mn)	0-0.01 (ppm)	0.00 ppm
Sodium(Na)	0-0.1 (ppm)	0.00 ppm
Nickel(Ni)	0-0.01 (ppm)	0.00 ppm
Lead(Pb)	0-0.005 (ppm)	0.00 ppm
Strontium(Sr)	0-0.01 (ppm)	0.00 ppm



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Parameter	Limit Values	Result
Thallium(Tl)	0-0.005 (ppm)	0.00000 ppm
Zinc(Zn)	0-0.01 (ppm)	0.00 ppm
Nitrate(NO3)	0-10 (ppm)	0.00000 ppm
Appearance(A434060)	White Powder, Crystals and/or Chunks	White Powder, Crystals and/or Chunks
X-Ray Diffraction	Conforms to Structure	Conforms to Structure

A handwritten signature in black ink that reads "John Su".

John Su
QA & QC Manager