

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

## Certificate of Analysis

Date of Testing:	2023-05-17 11:18:15
Date of Next Testing:	2026-05-16 11:18:15
Product Name:	<b>Ammonium thiocyanate</b>
CAS Number:	1762-95-4
Specifications & Purity:	Premium-Grade Reagents ,for Analysis, ACS,ISO,Reag. Ph Eur
Lot #:	E2309260
SKU #	<b>A485837</b>
Version	<b>1</b>
<b>Analysis #:</b>	<b>184820</b>
Storage Temperature:	Protected from light,Room temperature,Argon charged

Parameter	Limit Values	Result
Assay(Titration by AgNO <sub>3</sub> )	98.5-101.5 (%)	100.84 %
PH at 25°C(5% in water)	4.8-5.8	4.91
Insoluble matter	0-0.005 (%)	0.00 %
Heavy metal (as Pb)	0-0.0005 (%)	0.00 %
Copper(Cu)	0-0.0004 (%)	0.00 %
Iron(Fe)	0-0.0001 (%)	0.00 %
Lead(Pb)	0-0.0004 (%)	0.00 %
Iodine-consuming substances	0-0.02(%)	0.01 %
Ignition Residue	0-0.025 (%)	0.00 %
Chloride (Cl <sup>-</sup> )	0-0.005 (%)	0.01 %
Sulfate(SO <sub>4</sub> <sup>2-</sup> )	0-0.0025 (%)	0.00 %
sulfide (S <sup>2-</sup> )	0-0.001 (%)	0.00 %
Appearance(A485837)	White to Almost white powder to crystal	White to Almost white powder to crystal
X-Ray Diffraction	Conforms to Structure	Conforms to Structure



---

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su".

John Su  
QA & QC Manager