

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

Date of Testing: 2023-10-12 15:41:40
 Date of Next Testing: 2027-10-11 15:41:40
 Product Name: **Bleomycin Sulfate(mixture)**
 CAS Number: 9041-93-4
 Specifications & Purity: 1.5-2.0 units/mg
 Lot #: J2309348
 SKU #: **B107423**
 Version: **3**
 Analysis #: **279288**
 Storage Temperature: Store at -20°C, Argon charged

Parameter	Limit Values	Result
Nitrogen by Elemental Analysis	15-17 (%)	15.18500 %
Bleomycin B2	25-32 (%)	29.58000 %
Activity	1.5-2 (units/mg)	1.82000 units/mg
Endotoxin Assay	0-10 (EU/mg)	0.72900 EU/mg
E1%(at lambda max 290-291 nm)(anhydrous)	90-100 (%)	97.20000 %
Bleomycin A2	55-70 (%)	65.80000 %
Purity(UV-Vis)	90-100 (%)	96.40000 %
Bleomycin A2 + B2	90-100 (%)	94.80000 %
Copper(Cu)	0-0.1 (%)	0.03600 %
Carbon by Elemental Analysis(anhydrous)	42-45 (%)	44.97000 %
Appearance (b107423)	White to Light Yellow Powder or Crystals	White to Light Yellow Powder or Crystals
Cell Culture Test	pass	Pass
Solubility in H2O , Colorless to Faint Yellow, Clear, 20mg/mL, H2O	pass	Pass
Infrared spectrum	Conforms to Structure	Conforms to Structure



QualityAssurance@aladdinsci.com

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su".

John Su
QA & QC Manager