

## Certificate of Analysis

Date of Testing: 2022-02-25 21:29:04  
Date of Next Testing: 2026-02-24 21:29:04  
Product Name: **Celite® 545**  
CAS Number: 68855-54-9  
Specifications & Purity: filter aid, NaCO<sub>3</sub> treating, flux calcined  
Lot #: B2223293  
SKU #: **C101413**  
Analysis: **069628**

Parameter	Limit Values	Result
Al <sub>2</sub> O <sub>3</sub>	0-4 (%)	2.06 %
Median Particle Size	46-47 (µm)	46.50 µm
Chiral Derivatization Test	2-25 (%)	9.70 %
Silicon dioxide (SiO <sub>2</sub> )	89.6-100 (%)	93.02 %
MgO	0-0.6 (%)	0.30 %
Na <sub>2</sub> O + K <sub>2</sub> O	0-3.3 (%)	1.50 %
Fe <sub>2</sub> O <sub>3</sub>	0-1.3 (%)	0.60 %
Permeability	2.3-6.5 (Darcy)	3.69 Darcy
Specific gravity	2.2-2.4	2.30
TiO <sub>2</sub>	0-0.2 (%)	0.10 %
PH(10% in water)	9-11	10.50
Loss on Ignition(1000°C)	0-0.2 (%)	0.10 %
Centrifuged wet density,lbs/ft <sup>3</sup>	16.5-23	20.20
Moisture,as shipped	0-1 (%)	0.06 %
CaO	0-0.5 (%)	0.25 %
Appearance (C101413)	White to Off-White Powder	White to Off-White Powder



---

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su".

John Su  
QA & QC Manager