

Certificate of Analysis

Date of Testing: 2024-06-04 11:50:30
Date of Next Testing: 2028-06-03 11:50:30
Product Name: **Celite® 545**
CAS Number: 68855-54-9
Specifications & Purity: filter aid, NaCO₃ treating, flux calcined
Lot #: E2428204
SKU #: **C101413**
Version: **0**
Analysis #: **358317**

Parameter	Limit Values	Result
Permeability	2.3-6.5 (Darcy)	3.10 Darcy
Centrifuged wet density,lbs/ft ³	16.5-23	20.80
Al ₂ O ₃	0-4 (%)	2.24 %
Median Particle Size	46-47 (µm)	46.00 µm
Chiral Derivatization Test	2-25 (%)	6.30 %
Silicon dioxide (SiO ₂)	89.6-100 (%)	92.00 %
MgO	0-0.6 (%)	0.35 %
Na ₂ O + K ₂ O	0-3.3 (%)	2.00 %
Fe ₂ O ₃	0-1.3 (%)	1.00 %
Specific gravity	2.2-2.4	2.20
TiO ₂	0-0.2 (%)	0.10 %
PH(10% in water)	9-11	10.20
Loss on Ignition(1000°C)	0-0.2 (%)	0.10 %
Moisture,as shipped	0-1 (%)	0.55 %
CaO	0-0.5 (%)	0.24 %
Appearance (C101413)	White to Off-White Powder	White to Off-White Powder



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su".

John Su
QA & QC Manager