

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

Date of Testing: 2025-08-11 17:13:18

Date of Next Testing: 2029-08-10 17:13:18

Product Name: **Calcium phosphate**

CAS Number: 7758-87-4

Specifications & Purity: $\geq 98\%$, β -phase basis

Lot #: H2504080

SKU #: **C104263**

Version: **0**

Analysis #: **556281**

Storage Temperature: Room temperature

Parameter	Limit Values	Result
Cadmium(Cd)	0-1 (ppm)	0.50000 ppm
Chromium(Cr)	0-5 (ppm)	3.00000 ppm
Chloride (Cl-)	0-100 (ppm)	55.00000 ppm
Zinc(Zn)	0-10 (ppm)	5.00000 ppm
(Pb)Lead	0-5 (ppm)	3.00000 ppm
Hydroxylapatite, α -TCP and Pyrophosphate	0-2 (%)	1.00000 %
β -phase basis(X-Ray Diffraction)	98-100 (%)	98.00000 %
Barium(Ba)	0-10 (ppm)	5.00000 ppm
Mercury(Hg)	0-0.5 (ppm)	0.30000 ppm
(As)Arsenic	0-0.5 (ppm)	0.50000 ppm
Total sulfur as SO ₄ (ICP)	0-250 (ppm)	150.00000 ppm
Nickel(Ni)	0-1 (ppm)	0.50000 ppm
Copper(Cu)	0-1 (ppm)	0.50000 ppm
Heavy metal (as Pb)	0-50 (ppm)	25.00000 ppm
Cobalt(Co)	0-1 (ppm)	0.50000 ppm
X-Ray Diffraction	Conforms to Structure	Conforms to Structure



QualityAssurance@aladdinsci.com

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su".

John Su
QA & QC Manager