

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

## Certificate of Analysis

Date of Testing: 2023-01-29 15:34:45

Date of Next Testing: 2027-01-28 15:34:45

Product Name: **Sodium chloride**

CAS Number: 7647-14-5

Specifications & Purity: AR, ≥99.5%

Lot #: A2314076

SKU #: **C111533**

Version: **2**

Analysis #: **180517**

Storage Temperature: Room temperature

| Parameter                      | Limit Values          | Result                |
|--------------------------------|-----------------------|-----------------------|
| Ferrocyanides                  | 0-0.0001 (%)          | 0.00000 %             |
| Nitrogen by Elemental Analysis | 0-0.001 (%)           | 0.00000 %             |
| Potassium(K)                   | 0-0.02 (%)            | 0.00000 %             |
| Iron(Fe)                       | 0-0.0002 (ppm)        | 0.00000 ppm           |
| Sulfate(SO42-)                 | 0-0.002 (%)           | 0.00000 %             |
| Loss on drying                 | 0-0.5 (%)             | 0.02100 %             |
| Insoluble matter in H2O        | 0-0.005 (%)           | 0.00000 %             |
| (PO4)Phosphate                 | 0-0.001 (%)           | 0.00000 %             |
| Barium(Ba)                     | 0-0.001 (%)           | 0.00000 %             |
| Magnesium(Mg)                  | 0-0.002 (%)           | 0.00000 %             |
| (I)Iodide                      | 0-0.002 (%)           | 0.00000 %             |
| Heavy metal (as Pb)            | 0-0.0005 (ppm)        | 0.00000 ppm           |
| (Br)Bromide                    | 0-0.01 (%)            | 0.00030 %             |
| Calcium(Ca)                    | 0-0.005 (%)           | 0.00000 %             |
| Assay                          | 99.5-100 (%)          | 99.99890 %            |
| (As)Arsenic                    | 0-50(ppb)             | 20.00000 ppb          |
| X-Ray Diffraction              | Conforms to Structure | Conforms to Structure |



QualityAssurance@aladdinsci.com

---

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su".

John Su  
QA & QC Manager