

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

| Date of Testing: | | 2023-01-28 15:34:37 | |
|---|-------------------------------|-----------------------------|--|
| Date of Next Testing: | | 2025-01-17 15:34:37 | |
| Product Name: | | Cresol red | |
| CAS Number: | | 1733-12-6 | |
| Specifications & Purity: | | 90% | |
| Lot #: | | A2314112 | |
| SKU # | | C305514 | |
| Analysis: | | 173599 | |
| | | | |
| Parameter | Limit Values | | Result |
| Purity(HPLC area) | ≥90 (%) | | 97.00% |
| Absorbance(5 mg/L, | ≥0.63 | | 1.04 |
| pH 9.2, 570.0 - 574.0 | | | |
| nm) | | | |
| Appearance(C305514)Brown to Very Da Dark Red and Rec | | | Brown to Very Dark Brown and Red to Very |
| | | d-Brown and Very Dark Red- | Dark Red and Red-Brown and Very Dark Red- |
| | Brown and Greer | n to Very Dark Green Powder | Brown and Green to Very Dark Green Powder to |
| | to Crystals | | Crystals |
| pH(pH-Transition) pH | pH(pH-Transition) pH Conforms | | Conforms |
| 1.8 Yellow To Orange | | | |
| pH(pH-Transition) pH Conforms | | | Conforms |
| 8.8 Purple To Dark | | | |
| Purple | | | |
| · | | | |

John.Su

John Su QA & QC Manager