

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

Date of Testing: 2026-03-04 10:57:29

Date of Next Testing: 2027-03-04 10:57:29

Product Name: **Hydrogen Peroxide (H₂O₂) Content Assay Kit (TTS, Colorimetric Method)**

CAS Number:

Specifications & Purity:

Lot #:

SKU #

Version:

Analysis #:

BioReagent

ZJ26F0332460

H1505496-CG50T
1

030377

Parameter	Limit Value	Result
Seal Integrity Testing	Conform	Conform
Appearance (H1505496A)	Colorless and clear solution, No sediment	Colorless and clear solution, No sediment
Odor (H1505496A)	Odorless	Odorless
Appearance (H1505496B)	Colorless and clear solution, No sediment	Colorless and clear solution, No sediment
Odor (H1505496B)	Irritating Odor	Irritating Odor
Density (H1505496B) (0.80-0.95 g/mL)	Conform	Conform
Appearance (H1505496C)	White or slightly yellow translucent massive crystals	White or slightly yellow translucent massive crystals
Appearance (H1505496D)	Colorless and clear solution, No sediment	Colorless and clear solution, No sediment
Odor (H1505496D)	Odorless	Odorless
Density (H1505496D) (1.08-1.14 g/mL)	Conform	Conform



Sophia Cheng
Quality Assurance