

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

Date of Testing:	2023-05-08 14:56:15
Date of Next Testing:	2025-04-27 14:56:15
Product Name:	Imidazole
CAS Number:	288-32-4
Specifications & Purity:	99.5% , for buffer
Lot #:	D23251054
SKU #	I108704
Analysis:	210473
Storage Temperature:	Desiccated

Parameter	Limit Values	Result
PH(25 °C, 50 mg/mL in Water)	9.5-11	10.34
Cobalt(Co)	0-5 (ppm)	5.00 ppm
Ignition Residue (as sulfate)	0-0.1 (%)	0.04 %
(Pb)Lead	0-5 (ppm)	0.29 ppm
Manganese(Mn)	0-5	0.35
Magnesium(Mg)	0-5 (ppm)	1.08 ppm
Melting point	86-92 (°C)	91.89000 °C
Copper(Cu)	0-5 (ppm)	1.18 ppm
Sulfate(SO42-)	0-50 (ppm)	2.86 ppm
Chromium(Cr)	0-5 (ppm)	1.27 ppm
Cadmium(Cd)	0-5 (ppm)	0.85 ppm
Sodium(Na)	0-50 (ppm)	0.71 ppm
Chloride (Cl-)	0-50 (ppm)	2.52 ppm
Calcium(Ca)	0-10 (ppm)	1.04 ppm
Zinc(Zn)	0-5 (ppm)	1.17 ppm
Iron(Fe)	0-5 (ppm)	0.48 ppm
Potassium(K)	0-50 (ppm)	0.72 ppm
Nickel(Ni)	0-5 (ppm)	0.48 ppm
UV Absorbance 260nm	0-0.01	0.01
UV Absorbance 280nm	0-0.01	0.01
Purity(GC)	99.5-100 (%)	99.86 %
Appearance (I108704)	white to off-white powder, crystals and/or chunks	white to off-white powder, crystals and/or chunks
Infrared spectrum	Conforms to Structure	Conforms to Structure
pKa	6.8	6.8

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Parameter	Limit Values	Result
λ ,0.1 M in H ₂ O	Pass	Pass

A handwritten signature in black ink that reads "John Su".

John Su
QA & QC Manager