

Certificate of Analysis

Date of Testing: 2022-10-20 13:13:32
 Date of Next Testing: 2026-10-19 13:13:32
 Product Name: **Isopropyl Alcohol**
 CAS Number: 67-63-0
 Specifications & Purity: for preparative chromatography,99.8%
 Lot #: J2218927
 SKU #: **I112023**
Analysis: 146510

Parameter	Limit Values	Result
Density (20°C)	0.785-0.789	0.79
total of impurities apart from 2-butanol	0-0.3 (%)	0.17 %
Alkalinity	0-0.0002 (mg/g)	0.00 mg/g
Isopropylether (GC)	0-0.01 (%)	0.00 %
Water by Karl Fischer	0-0.05 (%)	0.01 %
Total combined yeasts/moulds count (TYMC)	0-10 (cfu/g)	5.60 cfu/g
Acidity	0-0.0002	0.00
Absorbance at 270 nm	0-0.03	0.01
Absorbance at 250 nm	0-0.1	0.04
Density (25°C)	0.783-0.787	0.78
Absorbance at 290 nm	0-0.02	0.01
Refractive index n ₂₀ /D	1.376-1.378	1.38
Bacterial endotoxins	0-2.5 (IU/ml OR u/ml)	2.10 IU/ml OR u/ml
Absorbance at 230 nm	0-0.3	0.09
Absorbance at 310 nm	0-0.01	0.00
Total aerobic microbial count (TAMC)	0-100 (cfu/g)	61.30 cfu/g
Evaporation Residue	0-0.0001 (mg/L)	0.00 mg/L
Benzene and related substances (GC)	0-2 (ppm)	1.50 ppm
Purity(GC)	99.8-100 (%)	99.98 %
Appearance (I112023)	Colorless Liquid	Colorless liquid
Bile-tolerant gram-negative bacteria (absent in 1 g)	passes test	Passes test
Candida albicans (absent in 1 g)	passes test	Passes test
Escherichia coli (absent in 1 g)	passes test	Passes test
Infrared spectrum	Conforms to Structure	Conforms to Structure
Peroxides	Conforms	Conforms
Pseudomonas aeruginosa (absent in 1 g)	passes test	Passes test
Salmonella (absent in 10 g)	passes test	Passes test

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Parameter	Limit Values	Result
Staphylococcus aureus (absent in 1 g)	passes test	Passes test
The absorption curve is smooth	Conforms	Conforms

A handwritten signature in black ink that reads "John Su".

John Su
QA & QC Manager