

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

Date of Testing: 2026-07-07 13:08:11

Date of Next Testing: 2027-07-07 13:08:11

Product Name: **Iron Content Assay Kit (Ferrozine, Micro Method)**

CAS Number:

Specifications & Purity:

BioReagent

Lot #: ZJ26F0737118

SKU #: **I1505775**

Version: **1**

Analysis #: 038061

Parameter	Limit Value	Result
Seal Integrity Testing	Conform	Conform
Appearance (I1505775A)	Colorless and transparent Solution, no precipitate	Colorless and transparent Solution, no precipitate
Odor (I1505775A)	Odorless	Odorless
Appearance (I1505775B)	Colorless and transparent Solution, no precipitate	Colorless and transparent Solution, no precipitate
Odor (I1505775B)	Odorless	Odorless
Appearance (I1505775C)	Colorless and transparent Solution, no precipitate, foaming upon shaking	Colorless and transparent Solution, no precipitate, foaming upon shaking
Odor (I1505775C)	Specific Odor	Specific Odor
Density (I1505775C) (1.00 - 1.04 g/mL)	Conform	Conform
Appearance (I1505775D)	Yellow and transparent Solution, no precipitate	Yellow and transparent Solution, no precipitate
Odor (I1505775D)	Odorless	Odorless
Appearance (I1505775E)	Colorless and transparent Solution, no precipitate	Colorless and transparent Solution, no precipitate
Odor (I1505775E)	Odorless	Odorless
Density (I1505775E) (0.98 - 1.02 g/mL)	Conform	Conform



Sophia Cheng
Quality Assurance