

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

Date of Testing: 2025-01-13 10:05:44
 Date of Next Testing: 2029-01-12 10:05:44
 Product Name: **Kieselguhr**
 CAS Number: 68855-54-9
 Specifications & Purity: Filter aid, Flux Calcined, Median Particle Size: 30.2um
 Lot #: C2130250
 SKU #: **K131668**
 Version: **0**
 Analysis #: **461325**
 Storage Temperature: Room temperature

Parameter	Limit Values	Result
Fe ₂ O ₃	1-1.5 (%)	1.00000 %
Wet Density	0-0.39 (g/cm ³)	0.03250 g/cm ³
Other	0-1.5 (%)	0.02000 %
Al ₂ O ₃	3-5 (%)	3.98600 %
loss on Ignition	0-1 (%)	0.19900 %
Water by Karl Fischer	0-0.5 (%)	0.21800 %
Calcium oxide (CaO)	0-0.5 (%)	0.02820 %
Median Particle Size	30-30.4 (μm)	30.19800 μm
pH	9-11	9.00000
+150 mesh	0-15 (%)	10.00000 %
MgO	0-0.5 (%)	0.01000 %
Na ₂ O	0-3.5 (%)	0.00200 %
Silicon dioxide (SiO ₂)	87-100 (%)	89.73600 %
Permeability, D'arcys	3.2-3.8	3.49600
Color (White)	pass	Pass



QualityAssurance@aladdinsci.com

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su".

John Su
QA & QC Manager