

Certificate of Analysis

Date of Testing: 2024-12-11 15:22:49
Date of Next Testing: 2026-12-11 15:22:49
Product Name: **Potassium chlorate**
CAS Number: 3811-04-9
Specifications & Purity: Premium-Grade Reagents, $\geq 99.5\%$
Lot #: L2410540
SKU #: **P112369**
Version: **1**
Analysis #: **443352**
Storage Temperature: Argon charged

Parameter	Limit Values	Result
Total Nitrogen	0-0.001 (%)	0.00 %
Iron(Fe)	0-0.0003 (%)	0.00 %
Sodium(Na)	0-0.01 (%)	0.00 %
Assay	99.5-100 (%)	99.80 %
(BrO ₃)Bromate	0-0.01 (%)	0.01 %
Heavy metal (as Pb)	0-0.0005 (%)	0.00 %
Insoluble matter in H ₂ O	0-0.005 (%)	0.01 %
Chloride (Cl ⁻)	0-0.001 (%)	0.00 %
Calcium(Ca)	0-0.002 (%)	0.00 %
Magnesium(Mg)	0-0.001 (%)	0.00 %
Sulfate(SO ₄ ²⁻)	0-0.002 (%)	0.00 %
(As)Arsenic	0-0.5 (ppm)	0.05 ppm
Clarity of solution , $\leq 2\#$	Pass	Pass
X-Ray Diffraction	Conforms to Structure	Conforms to Structure



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

A handwritten signature in black ink that reads "John Su". The signature is written in a cursive, flowing style.

John Su
QA & QC Manager