

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Certificate of Analysis

Date of Testing: 2026-03-13 11:14:37

Date of Next Testing: 2027-03-13 11:14:37

Product Name: **Reduced Glutathione (GSH) Content Assay Kit (DTNB, Micro Method)**

CAS Number:

Specifications & Purity:

Lot #:

SKU #

Version:

Analysis #:

BioReagent

ZJ26F0333026

R1492762-CG48T
1

031361

Parameter	Limit Value	Result
Seal Integrity Testing	Conform	Conform
Appearance(R1492762A)	Colourless liquid	Colourless liquid
Appearance(R1492762B)	Colourless liquid	Colourless liquid
Appearance(R1492762C)	Colourless liquid	Colourless liquid
Appearance(R1492762D)	Powder	Powder
Sensitivity ($R^2 \geq 0.99$)	Conform	Conform
Accuracy (OD of 400 µg/ml Standard at 412nm ≥ 1.1)	Conform	Conform
Accuracy (OD of 0 µg/ml Standard at 412nm ≤ 0.2)	Conform	Conform
Thermal stress test (7 days at 37°C)	Conform	Conform



Sophia Cheng
Quality Assurance