

Certificate of Analysis

Date of Testing: 2025-05-30 18:51:53

Date of Next Testing: 2026-05-30 18:51:53

Product Name: **Trifluoroacetic acid(TFA)**

CAS Number: 76-05-1

Specifications & Purity: UltraPureChrom™, for LC-MS, ≥99.5%

Lot #: E2529589

SKU #: **T103297**

Version: **1**

Analysis #: **517361**

Storage Temperature: Argon charged,Desiccated

Parameter	Limit Values	Result
UV Absorbance 290nm	0-0.04	0.04
Barium(Ba)	0-0.05 (ppm)	0.05 ppm
Copper(Cu)	0-0.02 (ppm)	0.02 ppm
Cadmium(Cd)	0-0.05 (ppm)	0.05 ppm
Water by Karl Fischer	0-0.05 (%)	0.05 %
UV Absorbance 270nm	0-0.1	0.10
UV Absorbance 260nm	0-0.9	0.90
Nickel(Ni)	0-0.05 (ppm)	0.05 ppm
Potassium(K)	0-0.1 (ppm)	0.10 ppm
Cobalt(Co)	0-0.02 (ppm)	0.02 ppm
UV Absorbance 320nm	0-0.025	0.03
Titanium(Ti)	0-0.05 (ppm)	0.05 ppm
Molybdenum(Mo)	0-0.02 (ppm)	0.02 ppm
UV Absorbance 300nm	0-0.03	0.03
Calcium(Ca)	0-0.2 (ppm)	0.20 ppm
Lithium(Li)	0-0.02 (ppm)	0.02 ppm
Chromium(Cr)	0-0.05 (ppm)	0.05 ppm
Magnesium(Mg)	0-0.5 (ppm)	0.50 ppm
Sodium(Na)	0-0.5 (ppm)	0.50 ppm
(Pb)Lead	0-0.1 (ppm)	0.10 ppm
Manganese(Mn)	0-0.05 (ppm)	0.05 ppm
UV Absorbance 280nm	0-0.05	0.05
Aluminum(Al)	0-0.05 (ppm)	0.05 ppm
Iron(Fe)	0-0.3 (ppm)	0.20 ppm
Strontium(Sr)	0-0.02 (ppm)	0.02 ppm



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Parameter	Limit Values	Result
Purity(GC)	99.5-100 (%)	99.90 %
LC-MS Test	Pass	Pass
Appearance (T103297)	Colorless Liquid	Colorless liquid
λ , H2O reference	Pass	Pass

A handwritten signature in black ink that reads "John.Su".

John Su
QA & QC Manager