

ALADDIN SCIENTIFIC CORPORATION  
 14078 Meridian Parkway, Riverside, CA. 92518

## Certificate of Analysis

Date of Testing: 2026-04-03 13:36:59  
 Date of Next Testing: 2026-09-30 13:36:59

Product Name: **Total Cholesterol (TC) Content Assay Kit (Single-Reagent COD-PAP, Micro Method)**

CAS Number:  
 Specifications & Purity: BioReagent  
 Lot #: ZJ26F0433811  
 SKU #: **T1505557-CG100T**  
 Version: **1**  
 Analysis #: 031753

Parameter	Limit Value	Result
Appearance(T1505557)	Conform	Conform
Seal Integrity Testing	Conform	Conform
Odor (T1505557A)	Characteristic odor	Characteristic odor
Density(T1505557A)(0.99 - 1.06 g/mL)	Conform	Conform
pH(T1505557A)(6.1-7.5)	Conform	Conform
Appearance(T1505557B)	Colorless and transparent solution, free of sediment	Colorless and transparent solution, free of sediment
Odor(T1505557B)	Characteristic odor	Characteristic odor
Appearance(T1505557C)	Colorless and transparent solution, free of sediment	Colorless and transparent solution, free of sediment
Odor(T1505557C)	Odorless	Odorless



-----  
 Sophia Cheng  
 Quality Assurance