

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2023-12-05

Print Date: 2023-12-07

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Arsenic solution

Product Number : A110123
Brand : aladdin

CAS-No. : 7440-38-2(solution)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290

Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 2A), H319

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

Warning

Hazard statement(s)

H290 May be corrosive to metals
H315 Causes skin irritation



14078 Meridian Parkway, Riverside, CA. 92518

H319 Causes serious eye irritation

Precautionary statement(s)

P234 Keep only in original container.

P264 Wash hands [and ...] thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P390 Absorb spillage to prevent material damage. P302+P352 IF ON SKIN: wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

IF SKIN irritation occurs: Get medical advice/attention. P332+P313 P337+P313 IF eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P406 Store in corrosive resistant/... container with a resistant inner liner.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**

#### 3.2 **Mixtures**

: no data available Synonyms

Formula : As Molecular weight : 74.92

Component Classification Concentration

#### Arsenic solution

CAS-No.: 7440-38-2 Acute toxicity category 3; Skin corrosion/irritation category 2; Serious eye EC-No.: 231-148-6 damage/eye irritation category 1; Carcinogenicity category 1A; Acute

(short-term) aquatic hazard category 1; Long-term aquatic hazard category 1; H301, H331, H315, H318, H350, H400, H410 M-factor- Aquatic Acute: 10

M-factor- Aquatic Chronic: 1

#### Sulfuric acid concentrate

CAS-No.: 7664-93-9 Metal corrosives (Category 1), H290 Acute toxicity, oral (Class 5), H303 EC-No.: 231-639-5

Skin corrosion/irritation (Category 1), H314 Severe eye injury/eye irritation

(Category 1), H318

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled



14078 Meridian Parkway, Riverside, CA. 92518

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

no data available

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Sulfur oxides

# 5.3 Advice for firefighters

no data available

### 5.4 Further information

no data available

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas.

# 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.



14078 Meridian Parkway, Riverside, CA. 92518

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid inhalation of vapor or mist. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS No.	Value	Control parameters	Basis
sulphuric acid	7664-93-9	PC-TWA	1 mg/m3	Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
	remarks	G1 - Carcinogenic to humans		
		PC-STEL	2 mg/m3	Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
		G1 - Carcinogenic to humans		

# 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of



### 14078 Meridian Parkway, Riverside, CA. 92518

workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type

ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face

supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	no data available
f) Initial boiling point and boiling range	no data available
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 1

n) Water solubility no data available



14078 Meridian Parkway, Riverside, CA. 92518

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

no data available

# 10.5 Incompatible materials

no data available

# 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - > 5,000 mg/kg

(Calculation method)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation



### 14078 Meridian Parkway, Riverside, CA. 92518

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

# 12.1 Toxicity

### 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)



14078 Meridian Parkway, Riverside, CA. 92518

#### **SECTION 13:**

### 13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 3264 Packing group: III Class: 8

Proper shipping name: CORROSIVE Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

LIQUID, ACIDIC, INORGANIC, N.O.S. available available

(sulphuric acid)

Environmental Hazards: no

**IMDG** 

UN number: 3264 Packing group: III EMS-No: no data available

Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

IATA

UN number: 3264 Packing group: III Class: 8
Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

 Creation Date
 22-Nov-2023

 Revision Date
 05-Dec-2023

 Print Date
 07-Dec-2023

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.