

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-17

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Aluminum-nickel catalyst

Product Number : A111098
Brand : aladdin
CAS-No. : 12635-29-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 2), H228

Substances and mixtures which in contact with water emit flammable gases (Category 3), H261

Skin sensitization (Category 1), H317

Carcinogenicity (Category 2), H351

Specific target organ toxicity - repeated exposure (Category 1), Respiratory Tract, Skin, H372

Long-term (chronic) aquatic hazard (Category 3), H412

2.2 GHS Label elements, including precautionary statements



14078 Meridian Parkway, Riverside, CA. 92518

Pictogram







Signal word Danger

Hazard statement(s)

H228 Flammable solid

H261 In contact with water releases flammable gas

H317 May cause an allergic skin reaction
H351 Suspected of causing cancer

H372 Causes damage to organs through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P231+P232 Handle under inert gas/... Protect from moisture.

P302+P352 IF ON SKIN: wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.

P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet

bandages.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Nickel-Aluminum alloy;Nickel Aluminum,Raney|r type non-

activated; Aluminum Nickel, Raney type; Aluminum Nickel; Nickel-aluminium alloy

Formula : AlNi



14078 Meridian Parkway, Riverside, CA. 92518

Molecular weight : 85.67
CAS No. : 12635-29-9
EC-NO. : no data available

Component	Classification	Concentration
Aluminum-nickel catalyst		
	no data available	Ni: 47%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Nickel/nickel oxides Aluminum oxide Not combustible. May not get in touch with: Water Ambient fire may liberate hazardous vapours.



14078 Meridian Parkway, Riverside, CA. 92518

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, ventilated warehouse. Air sensitive, Moisture sensitive, Argon filled storage.

7.3 Specific end use(s)

no data available



14078 Meridian Parkway, Riverside, CA. 92518

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: powder color: Grey

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available
e) Melting point/freezing point no data available
f) Initial boiling point and boiling range no data available
g) Flash point no data available
h) Evaporation rate no data available
i) Flammability (solid, gas) no data available



14078 Meridian Parkway, Riverside, CA. 92518

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available no data available I) Vapour density m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available no data available p) Auto-ignition temperature q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Air sensitive. Moisture.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

no data available



14078 Meridian Parkway, Riverside, CA. 92518

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product



14078 Meridian Parkway, Riverside, CA. 92518

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging
Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1396 Packing group: III Class: 4.3

Proper shipping name: ALUMINIUM Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

POWDER, UNCOATED available available

Environmental Hazards: no

IMDG

UN number: 1396 Packing group: III EMS-No: no data available

Proper shipping name: ALUMINIUM POWDER, UNCOATED

IATA

UN number: 1396 Packing group: III Class: 4.3

Proper shipping name: ALUMINIUM POWDER, UNCOATED

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

 Creation Date
 10-Oct-2023

 Revision Date
 10-Jan-2024

 Print Date
 17-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.