

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-16

Print Date: 2024-01-23

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Aluminium nitrate nonahydrate

Product Number : A434090
Brand : aladdin
CAS-No. : 7784-27-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Class 3), h272

Acute toxicity, oral (category 5), h303

Severe eye injury / eye irritation (Category 1), h318

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

Hazard statement(s)

Danger

H272 May intensify fire; oxidizer
H303 May be harmful if swallowed



14078 Meridian Parkway, Riverside, CA. 92518

H318 Causes serious eye damage

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P220 Keep away from clothing and other combustible materials.
P221 Take any precaution to avoid mixing with combustibles/...

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTER or doctor/... if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P370+P378 In case of fire: Use ... to extinguish.

P501 Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Aluminium nitrate nonahydrate

Formula : AIH18N3O18 Molecular weight : 375.13 CAS No. : 7784-27-2 EC-NO. : 236-751-8

Component	Classification	Concentration
Aluminium nitrate nonahydrate		
	no data available	Premium-Grade Reagents , for Analysis,

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.



14078 Meridian Parkway, Riverside, CA. 92518

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

nitrogen oxide alumina Non combustible. The surrounding fire source may cause the release of hazardous vapors

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources



14078 Meridian Parkway, Riverside, CA. 92518

of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

7.2 Conditions for safe storage, including any incompatibilities

Room temperature, dry

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374



14078 Meridian Parkway, Riverside, CA. 92518

derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: crystal color: White

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 73.5°C f) Initial boiling point and boiling range 2327°C

g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available no data available k) Vapour pressure I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available no data available q) Decomposition temperature r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity



14078 Meridian Parkway, Riverside, CA. 92518

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion with: Reducing agents Cyanides Esters Strong acids Isocyanates Powdered metals sulfur

10.4 Conditions to avoid

moisture-proof

10.5 Incompatible materials

Multi metal, low carbon steel

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 oral - rat - male and female - 3263 mg / kg (OECD Test Guideline 401)

Symptoms: possible damage:, mucosal irritation, cough

LD50 percutaneous rabbit male and female - > 5000 mg / kg (OECD Test Guideline 402) remarks: (compared with similar products)

Corresponding values are specified for the following substances: aluminum sulfate hydrate

Skin corrosion/irritation

Skin rabbit results: no skin irritation - 4 h (OECD Test Guideline 404) remarks: (compared with similar products) corresponding values are specified for the following substances: aluminum nitrate

Serious eye damage/eye irritation

Eye - Rabbit results: severe eye damage was caused. (OECD Test Guideline 405) remarks: (compared with similar products) corresponding values are specified for the following substances: aluminum nitrate

Respiratory or skin sensitisation

Maximum response test - guinea pig results: no skin allergy. (OECD Test Guideline 406) remarks: (compared with similar products) corresponding values are specified for the following substances: aluminum chloride hexahydrate corresponding values are specified for the following substances: aluminum chloride [anhydrous]

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity



14078 Meridian Parkway, Riverside, CA. 92518

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Semi static toxicity test for fish LC50 - Danio rerio (zebrafish) - > 0.105 mg / L - 96 h (OECD Test Guideline 203) remarks: (exceeding the upper limit of solubility of the test substance) (compared with similar products) corresponding values are specified for the following substances: aluminum sulfate tetradecahydrate

Toxicity to bacteria remarks: (compared with similar products) corresponding values are specified for the following substances: aluminum chloride [anhydrous] (aluminum nitrate nine hydrate)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

The PBT / vpvb assessment is not available because the chemical safety assessment is not required / carried out

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.



14078 Meridian Parkway, Riverside, CA. 92518

Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1438 Packing group: III Class: 5.1

Proper shipping name: Aluminum Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

nitrate available available

Environmental Hazards: no

IMDG

UN number: 1438 Packing group: III EMS-No: no data available

Proper shipping name: Aluminum nitrate

IATA

UN number: 1438 Packing group: III Class: 5.1

Proper shipping name: Aluminum nitrate

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date27-Oct-2023Revision Date16-Jan-2024Print Date23-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.