SAFETY DATA SHEET

Version: v1 Revision Date: 2024-01-16 Print Date: 2024-01-23

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	: (3-Aminopropyl)trimethoxysilane
Product Number	: A598535
Brand	: aladdin
CAS-No.	: 13822-56-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals,Manufacture of substance	Identified uses	: Laboratory chemicals,Manufacture of substances
---	-----------------	--

1.3 Company

Company	: ALADDIN SCIENTIFIC CORPORATION
Address	: 14078 Meridian Parkway,
Riverside, CA. 92518	
Telephone	: +1 (833) 552-7181
Fax	: no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA	: 1-800-424-9300
CHEMTREC®, Outside the USA	:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable liquid (Class 4), H227 Acute toxicity, oral (Class 5), H303 Skin corrosion/irritation (Category 2), H315 Severe eye injury/eye irritation (Category 1), H318

2.2 GHS Label elements, including precautionary statements

Pictogram	The second second
Signal word	Danger
Hazard statement(s)	
H227	Combustible liquid
H303	May be harmful if swallowed

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

H315	Causes skin irritation
H318	Causes serious eye damage
Precautionary statement(s)	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.
P264	Wash hands [and] thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P312	Call a POISON CENTER or doctor/ if you feel unwell.
P302+P352	IF ON SKIN: wash with plenty of water.
P332+P313	IF SKIN irritation occurs: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.
P305+P351+P338+P310	IF IN EYES: Rinse cautiously with water for several minutes. If contact lenses are worn and can be easily removed, remove Contact lenses. Continue rinsing. Immediately call an emergency center/doctor.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: 3-(Trimethoxysilyl)propylamine; 3-Aminopropyltrimethoxysilane
Formula	: C6H17NO3Si
Molecular weight	: 179.29
CAS No.	: 13822-56-5
EC-NO.	: 237-511-5

Component	Classification	Concentration
(3-		

Aminopropyl)trimethoxysilane

no data available

chloride ion ≤ 13ppm

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use dry chemical, carbon dioxide or alcohol-resistant foam. Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides nitrogen oxide silicon dioxide Combustible A fire may evolve into: Nitrogen oxides, silane Vapour is heavier than air, so it can spread across the ground. Under rapid heating, it forms an explosive mixture with air When a fire occurs, it may cause the production of hazardous gases or vapors

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

7.2 Conditions for safe storage, including any incompatibilities

Sensitive to humidity and air, filled with argon, stored under dry conditions

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Skin protection

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU). Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

c) Odour Thresholdno data availabled) pHno data availablee) Melting point/freezing pointno data availablef) Initial boiling point and boiling range194°Cg) Flash point86°C(Lit.)h) Evaporation rateno data availablei) Flammability (solid, gas)no data availablej) Upper/lower flammability orexplosive limitsexplosive limitsno data availableh) Vapour pressureno data availablen) Relative density1.027n) Water solubilityno data availableo) Partition coefficient: n-octanol/waterno data availablep) Auto-ignition temperatureno data availableq) Decomposition temperatureno data availabler) Viscosityno data availablek) Explosive properties Nno data available	
t) Oxidizing properties N no data available	

9.2 Other safety information

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Possible violent reaction with it: water alkali Oxidizing agent alcohols peroxide acid

10.4 Conditions to avoid

Strong heating

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity LD50 oral - rat - male -2970 mg/kg (OECD Testing Guidelines 401) LD50 transdermal - rat - male -11300 mg/kg (OECD Testing Guidelines 402)

Skin corrosion/irritation Skin - Rabbit Result: Irritating to the skin- 4 hours (OECD Testing Guidelines 404) Serious eye damage/eye irritation Eyes - Rabbit Result: It can cause serious damage to the eyes. (OECD Testing Guidelines 405) Respiratory or skin sensitisation Maximum Response Test - Guinea Pig Result: Negative (OECD Testing Guidelines 406) Germ cell mutagenicity Test type: Ames test Testing system: Escherichia coli/Salmonella typhimurium Metabolic activation: with or without metabolic activation effect Method: OECD Testing Guidelines 471 Result: Negative Carcinogenicity no data available Reproductive toxicity no data available

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

> Specific target organ toxicity - single exposure no data available Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Additional Information Repeated toxicity - rats - male and female - oral -90 days - levels of no harmful effects observed -100 mg/kg To our knowledge, this chemical, physical, and toxic property has not been fully studied.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity semi-static test for fish LC50- Danio rerio (zebrafish) ->934 mg/l -96 h (OECD Testing Guidelines 203) Toxicity to Daphnia and other aquatic invertebrates Static test EC50- Daphnia magna (Daphnia magna) -331 mg/l -48 hours (OECD Testing Guidelines 202) Toxicity static test for bacteria EC50- Pseudomonas putida -43 mg/l -5.75 h Remarks: (ECHA) Toxicity to Daphnia and other aquatic invertebrates (chronic toxicity) Semi static test NOEC - Daphnia magna ->=0.0074 mg/l -21 d Remarks: (ECHA)

12.2 Persistence and degradability

Aerobic - Exposure time 28 days Result: 76% - rapidly biodegradable. (OECD Testing Guidelines 306)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance. Contaminated packaging Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

- ()			
UN number: no data available	Packing group: no data available	Class: no data available	
Proper shipping name: no data	Reportable Quantity(RQ): no data	Poison Inhalation Hazard: no data	
available	available	available	
Environmental Hazards: no data available			
IMDG			
UN number: no data available	Packing group: no data available	EMS-No: no data available	
Proper shipping name: no data available			
ΙΑΤΑ			
UN number: no data available	Packing group: no data available	Class: no data available	
Proper shipping name: no data availal	ble		

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com
19-Dec-2023
16-Jan-2024
23-Jan-2024
SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.