

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-14

Print Date: 2025-09-21

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : tert-Butyl acrylate (TBA)

Product Number : B111147
Brand : aladdin
CAS-No. : 1663-39-4

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Skin sensitization (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Long-term (chronic) aquatic hazard (Category 2), H411

### 2.2 GHS Label elements, including precautionary statements



# 14078 Meridian Parkway, Riverside, CA. 92518

Pictogram			
Signal word	Danger		
Hazard statement(s)			
H225	Highly Flammable liquid and vapor		
H302	Harmful if swallowed		
H312	Harmful in contact with skin		
H315	Causes skin irritation		
H317	May cause an allergic skin reaction		
H332	Harmful if inhaled		
H335	May cause respiratory irritation		
H411	Toxic to aquatic life with long lasting effects		
Precautionary statement(s)			
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking.		
P233	Keep container tightly closed.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.		
P264	Wash hands [and] thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P271	Use only outdoors or in a well-ventilated area.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P321	Specific treatment (see on this label).		
P330	Rinse mouth.		
P391	Collect spillage.		
P302+P352	IF ON SKIN: wash with plenty of water.		
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P370+P378	In case of fire: Use to extinguish.		
P405	Store locked up.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P403+P235	Store in a well-ventilated place. Keep cool.		
P501	Dispose of contents/container to an approved waste disposal plant.		



14078 Meridian Parkway, Riverside, CA. 92518

P301+P317 IF SWALLOWED: Get medical help.

P317 Get emergency medical help.

P332+P317 If skin irritation occurs: Get medical help.
P319 Get medical help if you feel unwell.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Acrylic Acid tert-Butyl Ester

Formula : C7H12O2

Molecular weight : 128.17

CAS No. : 1663-39-4

EC-NO. : 216-768-7

Component	Classification	Concentration
tert-Butyl acrylate (TBA)		
	Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Acute Tox. 4; Skin Irrit. 2; Skin	≥99%, containing
	Sens. 1; STOT SE 3; Aquatic Chronic 2; H225, H302, H331, H312, H315,	20 ppm MEHQ as
	H317, H335, H411	stabilizer

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.- Carbon oxides

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

no data available

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of <a href="https://example.com/sub-rule-number-12">https://example.com/sub-rule-number-12"

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

no data available

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. <br/>
Vuse explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build <br/>
vapour or mist. <br/>

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed <br/>and kept upright to prevent leakage. <br/>



14078 Meridian Parkway, Riverside, CA. 92518

### 7.3 Specific end use(s)

no data available

#### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

#### Control of environmental exposure

no data available

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point -69°C f) Initial boiling point and boiling range g) Flash point 17°C ; 62.6 °F  $^{\circ}$ C



14078 Meridian Parkway, Riverside, CA. 92518

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.88

n) Water solubility Slightly miscible with water.

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

no data available

#### 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Strong oxidizing agents

### 10.5 Incompatible materials

Hazardous decomposition products formed under fire conditions.- Carbon oxides  $\$  br/>Other decomposition products - no data available  $\$  Contains the following stabiliser(s):  $\$  Mequinol (>=10 - <=20 ppm)  $\$  br/> br/> Aldrich - 327182 Page 5 of 7

### 10.6 Hazardous decomposition products

no data available

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects



14078 Meridian Parkway, Riverside, CA. 92518

#### Acute toxicity

Skin - rabbit - Skin irritation

#### Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available <br/>

### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as <br/>
probable, possible or confirmed human carcinogen by IARC.<br/>
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a <br/>
component of this product present at levels greater than or equal to 0.1% is identified as a <br/>
carcinogen by NTP.<br/>
br/>OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a <br/>
carcinogen by NTP.<br/>
carcinogen or potential carcinogen by OSHA.<br/>
br/>
carcinogen or potential carcinogen by OSHA.

#### Carcinogenicity

no data available

#### Reproductive toxicity

May cause respiratory irritation. <br/>

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 46 - 68 mg/l - 96.0 h < br/>Toxicity to daphnia < br/>and other aquatic -57 mg/l - 48 h < br/>Toxicity to algae = EC50 - Desmodesmus subsp

**Additional Information** 

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil



14078 Meridian Parkway, Riverside, CA. 92518

no data available

#### 12.5 Results of PBT and vPvB assessment

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.<br/>
Toxic to aquatic life with long lasting effects.<br/>
'> Toxic to aquatic

#### 12.6 Other adverse effects

no data available

### **SECTION 13:**

#### 13.1 Disposal considerations

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material <br/>br/>is highly flammable.Offer surplus and non-recyclable solutions to a licensed disposal company.Contact a licensed <br/>br/>professional waste disposal service to dispose of this material.

#### Contaminated packaging

no data available

### **SECTION 14: Transport information**

DOT (US)

UN number: 1993 Packing group: II Class: 3

Proper shipping name: Flammable liquid, Reportable Quantity (RQ): no data Poison Inhalation Hazard: yes

n.o.s. (tert-Butyl acrylate) available

Environmental Hazards: yes

**IMDG** 

UN number: 1993 Packing group: II EMS-No: no

Proper shipping name: Flammable liquid, n.o.s. (tert-Butyl acrylate)

**IATA** 

UN number: 1993 Packing group: II Class: 3

Proper shipping name: Flammable liquid, n.o.s. (tert-Butyl acrylate)

#### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date 10-Sep-2020



14078 Meridian Parkway, Riverside, CA. 92518

Revision Date 14-Sep-2025

Print Date 21-Sep-2025

**Revision Summary** SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.