

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-08-05

Print Date: 2024-08-05

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Barium chloride dihydrate

Product Number : B111751
Brand : aladdin
CAS-No. : 10326-27-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 4), H332

Eye irritation (Category 2), H319

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

H301

Hazard statement(s)

Toxic if swallowed

Danger

H319 Causes serious eye irritation



14078 Meridian Parkway, Riverside, CA. 92518

Harmful if inhaled
Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands [and] thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
Call a POISON CENTER or doctor/ if you feel unwell.
Rinse mouth.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses if present and easy to do - continue rinsing.
IF eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of contents/container to an approved waste disposal plant.

a POISON CENTER or doctor. if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

P304+P340+P312

Synonyms : Barium chloride dihydrate; Barium chloride dihydrate

Formula : BaCl2.2H2O Molecular weight : 244.26 CAS No. : 10326-27-9 EC-NO. : 233-788-1

Component	Classification	Concentration
Barium chloride dihydrate		
	Acute Tox. 3; Acute Tox. 4; Eye Irrit. 2; H301, H332, H319	Guaranteed Reagent,99.5%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary.



14078 Meridian Parkway, Riverside, CA. 92518

Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting(only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

no data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions(see sections 7 and 10). Take



14078 Meridian Parkway, Riverside, CA. 92518

up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection



14078 Meridian Parkway, Riverside, CA. 92518

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: Powder or Crystals color: White

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 963°C

f) Initial boiling point and boiling range no data available g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 3.86

n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.



14078 Meridian Parkway, Riverside, CA. 92518

10.3 Possibility of hazardous reactions

Risk of explosion with:furan-2-percarbonic acid Violent reactions possible with:halogen-halogen compounds,Strong oxidizing agents,strong reducing agents,acids

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 118 mg/kg Remarks: (RTECS)

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 15 min Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating (OECD Test Guideline 405)

Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse. Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster ovary cells Result: negative In vitro mammalian cell gene mutation test Mouse lymphoma test

Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: CQ8751000

Vomiting, Diarrhea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. The following applies to soluble barium compounds in general: after swallowing: mucosal



14078 Meridian Parkway, Riverside, CA. 92518

irritation, nausea, salivation, vomiting, dizziness, pain, colics, and diarrhoea. Systemic effects include: cardiac dysrhythmias, bradycardia (subdued cardiac activity), rise in blood pressure, shock and circulatory collapse as well as muscular rigidity. Chronic intoxication: damage of respiratory tract, conjunctivitis, Dermatitis, cardiovascular disorders Handle in accordance with good industrial hygiene and safety practice. Other dangerous properties can not be excluded.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish: static test LC50 - Danio rerio (zebra fish) - > 174 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates :static test LC50 - Daphnia magna (Water flea) - 14,5 mg/l - 48 h

Remarks: (ECHA)(referred to the cation)

Toxicity to algae: static test ErC50 - Pseudokirchneriella subcapitata (algae) - > 100 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria: static test EC50 - activated sludge - > 943,1 mg/l - 3 h

(OECD Test Guideline 209)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus - 0,065 mg/l(Barium chloride dihydrate) Bioconcentration factor (BCF): 22,8

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to



14078 Meridian Parkway, Riverside, CA. 92518

dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1564 Packing group: III Class: 6.1

Proper shipping name: BARIUM Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

COMPOUND, N.O.S. (Barium chloride available available

dihydrate)

Environmental Hazards: no

IMDG

UN number: 1564 Packing group: III EMS-No: no data available

Proper shipping name: BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate)

IATA

UN number: 1564 Packing group: III Class: 6.1

Proper shipping name: BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date08-Oct-2021Revision Date05-Aug-2024Print Date05-Aug-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.