

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-16

Print Date: 2024-01-23

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Boron Trifluoride - Butanol Reagent

Product Number : B304409
Brand : aladdin
CAS-No. : 692-39-7

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®. Outside the USA :

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

CFR 1910.1200:Acute Toxicity - Oral [Category 4] Acute Toxicity - Dermal [Category 4] Acute Toxicity - Inhalation [Category 4] Eye Damage/Irritation [Category 1] Specific Target Organ Toxicity (Single Exposure) [Category 2] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1] Specific Target Organ Toxicity (Repeated Exposure) [Category 2] Flammable Liquids [Category 3] Corrosive to Metals [Category 1] Skin Corrosion/Irritation [Category 1B]

### 2.2 GHS Label elements, including precautionary statements

Pictogram no data available

Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapor H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage



14078 Meridian Parkway, Riverside, CA. 92518

H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H371 May cause damage to organs

H373 Causes damage to organs through prolonged or repeated exposure

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.
P234 Keep only in original container.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P405 Store locked up.

P406 Store in corrosive resistant/... container with a resistant inner liner.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Synonyms : no data available
Formula : C4H10BF30
Molecular weight : 141.93

Component Classification Concentration

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice no data available If inhaled



14078 Meridian Parkway, Riverside, CA. 92518

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

In case of skin contact

Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician.

In case of eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER or doctor/physician.

If swallowed

Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

May have effects on the respiratory tract.

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Dry chemical, carbon dioxide.

Unsuitable extinguishing media

Wate.

# 5.2 Special hazards arising from the substance or mixture

no data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus if possible.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.

### 6.2 Environmental precautions

Prevent product from entering drains.

### 6.3 Methods and materials for containment and cleaning up



14078 Meridian Parkway, Riverside, CA. 92518

Absorb spilled material with dry sand or inert absorbent before recycling it into an airtight container. If there is a large amount of spillage, use seals to control the spillage. Adhered or aggregated materials shall be disposed of in a timely manner in accordance with local laws and regulations. Prevention of secondary hazards: remove all sources of ignition. In case of fire, fire extinguishing devices shall be prepared. Use spark proof tools and explosion-proof equipment.

#### 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. May develop pressure. Open carefully. Use corrosive resistant equipment. Conditions for safe storage, including any incompatibilities

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive

# 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

(1-Butanol) ACGIH TLV(TWA):20 ppm ACGIH TLV(CL):50 ppm (skin) OSHA PEL(TWA):100 ppm

# 8.2 Exposure controls

Appropriate engineering controls

Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Eye/face protection

Safety goggles. A face-shield, if the situation requires.

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the



14078 Meridian Parkway, Riverside, CA. 92518

specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

**Body Protection** 

Impervious gloves. Impervious protective clothing. Protective boots, if the situation requires.

Respiratory protection

Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: Clear Liquid color: Colorless - Slightly pale yellow

b) Odour no data available
c) Odour Threshold Characteristic
d) pH no data available
e) Melting point/freezing point no data available
f) Initial boiling point and boiling range g) Flash point no data available
h) Evaporation rate no data available
i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure (1-Butanol) 118°C

I) Vapour density 2.6 m) Relative density 0.9

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

no data available

#### 10.2 Chemical stability



14078 Meridian Parkway, Riverside, CA. 92518

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Spark, Open flame, Static discharge, Moisture

# 10.5 Incompatible materials

Oxidizing agents, Bases, Water, Metals

# 10.6 Hazardous decomposition products

Carbon monoxide, Carbon dioxide

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

Aspiration hazard: May be harmful if swallowed and enters airways.

**Additional Information** 

no data available

# **SECTION 12: Ecological information**

### 12.1 Toxicity



14078 Meridian Parkway, Riverside, CA. 92518

no data available

### 12.2 Persistence and degradability

no data available

# 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

# 13.1 Disposal considerations

Product

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil. Other considerations: Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

# **SECTION 14: Transport information**

DOT (US)

UN number: UN2920 Packing group: II Class: 8,3

Proper shipping name: Corrosive Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

liquids, flammable, n.o.s available available

Environmental Hazards: no data available

**IMDG** 

UN number: UN2920 Packing group: II EMS-No: EmS number: F-A, S-B

Proper shipping name: Corrosive liquids, flammable, n.o.s

IATA

UN number: UN2920 Packing group: II Class: 8,3



14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: Corrosive liquids, flammable, n.o.s

# **SECTION 15: Regulatory information**

#### **Toxic Substance Control Act**

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list: (i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec. (ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet. US Federal Regulations

#### **US Federal Regulations**

SARA 313: Not Listed

SARA 302: Not Listed

#### State Regulations

Massachusetts Not Listed

New Jersey Not Listed

Pennsylvania Not Listed

#### Other Information

NFPA Rating: HMIS Classification: Health: 3 Health: 3 Flammability: 3 Flammability: 3 Instability: 0 Physical: 0

#### International Inventories

EC-No: 231-569-5

#### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date 14-Oct-2022



14078 Meridian Parkway, Riverside, CA. 92518

Revision Date 16-Jan-2024 Print Date 23-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.