

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-25

Print Date: 2024-01-25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : p-Chlorotoluene
Product Number : C104629
Brand : aladdin
CAS-No. : 106-43-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 5), H303

Acute toxicity, Inhalation (Category 4), H332

Skin sensitization (Category 1), H317

Short-term (acute) aquatic hazard (Category 2), H401

Long-term (chronic) aquatic hazard (Category 2), H411

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word

Hazard statement(s)

H226

Flammable liquid and vapor

H303

May be harmful if swallowed

H317

May cause an allergic skin reaction

H332

Harmful if inhaled

H411

Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P210

Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

P233

Keep container tightly closed.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P242

Use only non-sparking tools.

P243

Take precautionary measures against static discharge.

P261

Avoid breathing dust/fume/gas/mist/vapors/spray.

P271

Use only outdoors or in a well-ventilated area.

P272

Contaminated work clothing should not be allowed out of the workplace.

P273

Avoid release to the environment.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P312

Call a POISON CENTER or doctor/... if you feel unwell.

P391

Collect spillage.

P303+P361+P353

IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].

P333+P313

IF SKIN irritation or rash occurs: Get medical advice/attention.

P370+P378

In case of fire: Use ... to extinguish.

P403+P235

Store in a well-ventilated place. Keep cool.

P501

Dispose of contents/container to an approved waste disposal plant.

P304+P340+P312

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms

: 4-Chlorotoluene 1-Chloro-4-methylbenzene PCT

Formula

: C7H7Cl

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Molecular weight : 126.59
CAS No. : 106-43-4
EC-NO. : 203-397-0

Component	Classification	Concentration
p-Chlorotoluene	no data available	reagent grade,97%

SECTION 4: First aid measures**4.1 Description of first aid measures**

General advice

Consult a physician.Show this safety data sheet to the doctor in attendance.Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air.If not breathing, give artificial respiration.Consult a physician.

In case of skin contact

Wash off with soap and plenty of water.Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting.Never give anything by mouth to an unconscious person.Rinse mouth with water.Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

no data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	form: Liquid color: Colorless
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	6-8 °C
f) Initial boiling point and boiling range	162°C
g) Flash point	11°C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	1.07
n) Water solubility	Soluble in water (0.04 g/L at 20oc).
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is chemically stable under standard ambient conditions (room temperature) .

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

Violent reactions possible with: Oxidizing agents Alkali metals dimethyl sulfoxide

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

rubber

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 2,273 mg/kg (OECD Test Guideline 401) Inhalation: absorption Acute toxicity estimate

Inhalation - 11.1 mg/l - vapor (Expert judgment)

LD50 Dermal - Rat - > 5,000 mg/kg Remarks: (External MSDS)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (External MSDS)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation Remarks: (External MSDS)

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: positive Remarks: (ECHA)

Germ cell mutagenicity

No data available Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation:

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

with and without metabolic activation Result: negative Remarks: (ECHA)

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: XS9010000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After absorption: Cyanosis Nausea Vomiting Headache Dizziness inebriation In high doses: Unconsciousness respiratory paralysis Convulsions Further data: Handle in accordance with good industrial hygiene and safety practice. Kidney -

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - *Poecilia reticulata* (guppy) - 5.92 mg/l - 14 d Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - *Ceriodaphnia dubia* (water flea) - 1.7 mg/l - 48 h (US-EPA) Toxicity to algae EC50 - *Pseudokirchneriella subcapitata* (algae) - 6.1 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC10 - *Pseudomonas putida* - > 25 mg/l - 18 h (DIN 38421 TEIL 8) Toxicity to fish(Chronic toxicity) NOEC - *Danio rerio* (zebra fish) - 1.9 mg/l (OECD Test Guideline 210) Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) NOEC - *Daphnia magna* (Water flea) - 0.32 mg/l - 21 d (OECD Test Guideline 211)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: ca.1 % - Not readily biodegradable. (OECD Test Guideline 301C)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

no data available

SECTION 13:

13.1 Disposal considerations

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2238

Packing group: III

Class: 3

Proper shipping name: Chlorotoluenes

Reportable Quantity(RQ): no data available

Poison Inhalation Hazard: no data available

Environmental Hazards: No

IMDG

UN number: 2238

Packing group: III

EMS-No: no data available

Proper shipping name: Chlorotoluenes

IATA

UN number: 2238

Packing group: III

Class: 3

Proper shipping name: Chlorotoluenes

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By

Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date

25-Jan-2024

Revision Date

25-Jan-2024

Print Date

25-Jan-2024

Revision Summary

SDS sections updated v1

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.