

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-11

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Cyclohexanone
Product Number : C116454
Brand : aladdin
CAS-No. : 108-94-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements



14078 Meridian Parkway, Riverside, CA. 92518

Pictogram	
Signal word	Danger

Hazard statement(s)

H226 Flammable liquid and vapor

H315 Causes skin irritation

H318 Causes serious eye damage H402 Harmful to aquatic life

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

Synonyms : Cykloheksanon
Formula : C6H100
Molecular weight : 98.14
CAS No. : 108-94-1
EC-NO. : 203-631-1

Component	Classification	Concentration
Cyclohexanone		
	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; H226, H302, H332, H312, H315, H318	Standard for GC

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection



14078 Meridian Parkway, Riverside, CA. 92518

8.1 Control parameters

Hazard composition and occupational exposure limits

Component	CAS No.	Value	Control parameters	Basis
Cyclohexanone	108-94-1	PC-TWA	50 mg/m3	Occupational exposure limits for workplace hazards - chemical hazards
		Note	Skin	

Biological limits

Component	CAS No.	parameters	Value	Biological specimens	Basis	
Cyclohexanone	108-94-1	cyclohexanediol	80 mg/l	urine	ACGIH - Biological Limits (BEI)	
	Note	When you leave work on the last working day of the work week				
		Cyclohexanone	8 mg/l	urine	ACGIH - Biological Limits (BEI)	
		Sample immediately after contact or after working hours				

8.2 Exposure controls

Appropriate engineering controls

Replace contaminated clothing immediately. Use skin protective lotion. Wash hands and wash your face after using this substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point -47°C f) Initial boiling point and boiling range 155°C g) Flash point 44°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.947

n) Water solubility Slightly soluble in water, miscible in alcohol, ether, benzene, acetone and

other organic solvents.

o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available



14078 Meridian Parkway, Riverside, CA. 92518

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heating

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 1.620 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - male and female - 4 h - > 6,2 mg/l Remarks: (ECHA) LD50 Dermal - Rabbit - 1.100 mg/kg Remarks: (External MSDS)

Skin corrosion/irritation

Skin - Rabbit Result: irritating - 4 h (OECD Test Guideline 404) Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye Remarks: (ECHA) Risk of corneal clouding.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Mutagenicity (mammal cell test): Result: negative Ames test Escherichia coli/Salmonella typhimurium Result:

negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available



14078 Meridian Parkway, Riverside, CA. 92518

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 2.160 h - NOAEL (No observed adverse effect level) - 143 mg/kg RTECS: GW1050000 Prolonged or repeated exposure to skin causes defatting and dermatitis., Cough, Shortness of breath, Headache, Nausea, Vomiting, Incoordination., Inhalation of high concentrations may cause:, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: After absorption of large quantities: Headache, Salivation, Nausea, Vomiting, Dizziness, narcosis, Coma The following applies to ketones in general: when vapours/aerosols occur, mucosal irritations, coughing, and dyspnoea after inhalation. The absorption of large quantities leads to: CNS depression (narcosis). Repeated skin contact leads to a degreasing effect, with secondary inflammation possible. Toxic effects on the liver and kidneys cannot be excluded after high doses. The inhalation of droplets may result in the formation of oedemas in the respiratory tract. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 527 - 732 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 800 mg/l - 24 h (DIN 38412) EC5 - Protozoa - 573 mg/l - 48 h Remarks: (maximum permissible toxic concentration) (IUCLID) Toxicity to algae IC5 - Scenedesmus quadricauda (Green algae) - 370 mg/l - 8 d Remarks: (IUCLID) static test EC50 - Chlamydomonas reinhardtii (green algae) - 32,9 mg/l - 72 h Remarks: (ECHA) Toxicity to bacteria EC5 - Pseudomonas putida - 180 mg/l - 16 h Remarks: (maximum permissible toxic concentration)(Lit.) static test EC50 - activated sludge - > 1.000 mg/l - 30 min (OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d Result: 87 % - Readily biodegradable. (MITI test) aerobic - Exposure time 28 d Result: 90 - 100 % - Readily biodegradable. (OECD Test Guideline 301F) Theoretical oxygen demand 2.608 mg/g ((calculated)) Remarks: (Lit.)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:



14078 Meridian Parkway, Riverside, CA. 92518

13.1 Disposal considerations

Product

Dispose of the remaining and non recyclable solution to a licensed company.

Contaminated packaging

no data available

SECTION 14: Transport information

DOT (US)

UN number: 1915 Packing group: III Class: 3

Proper shipping name: Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

CYCLOHEXANONE available available

Environmental Hazards: no

IMDG

UN number: 1915 Packing group: III EMS-No: no data available

Proper shipping name: CYCLOHEXANONE

IATA

UN number: 1915 Packing group: III Class: 3

Proper shipping name: CYCLOHEXANONE

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date27-Nov-2023Revision Date10-Jan-2024Print Date11-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.