

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-11

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Carbophenothion Standard

Product Number : C399220 Brand : aladdin

CAS-No. : 786-19-6(Acetone)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

## 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids, category 2

Skin corrosion/irritation, category 2

Eye damage/irritation, category 2A

Specific target organ toxicity, single exposure; Respiratory tract irritation, category 3

Specific target organ toxicity, single exposure; Narcotic effects, Category 3

## 2.2 GHS Label elements, including precautionary statements

Pictogram







Signal word

Danger



## 14078 Meridian Parkway, Riverside, CA. 92518

Hazard statement(s)	
H225	Highly Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
Precautionary statement(s)	
P202	Do not handle until all safety precautions have been read and understood.
P233	Keep container tightly closed.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash hands [and] thoroughly after handling.
P284	[In case of inadequate ventilation] Wear respiratory protection.
P311	Call a POISON CENTER or doctor/
P331	Do NOT induce vomiting.
P338	Remove contact lenses, if present and easy to do. Continue rinsing.
P360	Rinse immediately contaminated clothing and skin with plenty of water before
	removing clothes.
P404	Store in a closed container.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

Synonyms : S-(4-Chlorophenylthiomethyl) 0,0-diethyl phosphorodithioate Trithion

Aarithion

Formula : C11H16ClO2PS3

Molecular weight : 342.87

Component	Classification	Concentration
Acetone		
CAS-No.: 67-64-1	Flammable liquid category 2; Skin corrosion/sting. Category 3; Serious	
EC-No.: 200-662-2	eye damage/eyes. Irritation category 2A; Specific target organ Systemic	
	toxicity (first exposure) category 3; H225, H316, H319, H336	
Carbophenothion Standard		
CAS-No.: 786-19-6	Acute toxicity category 2; Acute toxicity Don't 3; Acute (short-term)	
EC-No.: 212-324-1	aquatic hazards Category 1; Long term aquatic hazard category 1; H300,	
	H311, H400, H410 M-factor - Aquatic Act: 10 M-factor - Aquatic Chronic:	
	10	



14078 Meridian Parkway, Riverside, CA. 92518

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

## 5.2 Special hazards arising from the substance or mixture

Dangerous fire and explosive hazard. Vapors can travel to a source of ignition and flash back. Containers can build up pressure if exposed to heat.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



14078 Meridian Parkway, Riverside, CA. 92518

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

## 7.2 Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Avoid spark promoters. Eliminate sources of ignition. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers. Store at 2-8 °C.

## 7.3 Specific end use(s)

no data available

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

## 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment



14078 Meridian Parkway, Riverside, CA. 92518

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

no data available

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

a) Appearance

### 9.1 Information on basic physical and chemical properties

b) Odour	no data available			
c) Odour Threshold	no data available			
d) pH	no data available			
e) Melting point/freezing point	no data available			
f) Initial boiling point and boiling range	no data available			
g) Flash point	no data available			
h) Evaporation rate	no data available			
i) Flammability (solid, gas)	no data available			
j) Upper/lower flammability or				
explosive limits	no data available			
k) Vapour pressure	no data available			
I) Vapour density	no data available			
m) Relative density	no data available			
n) Water solubility	no data available			

o) Partition coefficient: n-octanol/water no data available

p) Auto-ignition temperature

q) Decomposition temperature

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/

no data available

no data available



14078 Meridian Parkway, Riverside, CA. 92518

r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

## 9.2 Other safety information

no data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

no data available

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 6.8 mg/kg Remarks: (RTECS) Inhalation: No data available

LD50 Dermal - Rat - 27 mg/kg Remarks: Behavioral:Tremor. Behavioral:Convulsions or effect on seizure threshold. Behavioral:Excitement. (RTECS)

LD50 Dermal - Rabbit - 1,270 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available



#### 14078 Meridian Parkway, Riverside, CA. 92518

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0.24 mg/l - 96.0 h Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 0.08 - 0.33 mg/l - 48 h Remarks: (ECOTOX Database)

Toxicity to algae Growth inhibition EC50 - Skeletonema costatum - 0.109 mg/l - 96 h Remarks: (ECOTOX Database)

### 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 13:**

### 13.1 Disposal considerations

**Product** 

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.

Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

DOT (US)

UN number: 2929 Packing group: II Class: 3(6.1)

Proper shipping name: TOXIC LIQUID, Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

FLAMMABLE, ORGANIC, N.O.S. available available

Environmental Hazards: no

**IMDG** 

UN number: 2929 Packing group: II EMS-No: no data available

Proper shipping name: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.

IATA

UN number: 2929 Packing group: II Class: 3(6.1)

Proper shipping name: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.

### SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date23-Nov-2023Revision Date10-Jan-2024Print Date11-Jan-2024

Revision Summary SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.