

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-01-14 Print Date: 2025-01-14

11111t Date: 2025 01

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Carbopol® 5984 EP Polymer

Product Number : C766936
Brand : aladdin

CAS-No. : no data available

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181
Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute aquatic toxicity category 3 Chronic aquatic toxicity category 3

# 2.2 GHS Label elements, including precautionary statements

Pictogram no data available

Signal word Warning

Hazard statement(s)

H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

P273 Avoid release to the environment.

P501 Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Synonyms : no data available
Formula : no data available
Molecular weight : no data available

Component	Classification	Concentration
Acrylic acid		
CAS-No. : 79-10-7 EC-No. :	H318; H314; H335; H226; H332; H312; H302; H400; H411	0.1 - < 1%
Cyclohexane		
CAS-No. : 110-82-7 EC-No. :	H315; H304; H336; H400; H410; H225	0.25 - < 1%
Carbopol® 5984 EP Polymer		
CAS-No.: -		

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

EC-No.:

If breathing is labored, administer oxygen. If breathing has stopped, apply artificial respiration. If irritation persists or if toxic symptoms are observed, get medical attention. Remove exposed person to fresh air if adverse effects are observed.

#### In case of skin contact

Wash with soap and water. If skin irritation occurs, get medical attention

#### In case of eye contact

Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Water (moisture) swells this product into a gelatinous film which may be difflicult to remove from the eye using only water. Immediately flush eyes with plenty of one percent (1%) physiological saline solution for five (5) minutes while holding eyelids open. If no saline is available, flush with plenty of clean water for fifteen (15) minutes. See a physician. Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.

#### If swallowed

Treat symptomatically. Get medical attention

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11



14078 Meridian Parkway, Riverside, CA. 92518

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, dry chemical or foam for extinction. CO2 may be ineffective on large fires.

### Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

no data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

no data available

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid



14078 Meridian Parkway, Riverside, CA. 92518

breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, well-ventilated place. Keep containers closed when not in use. Store away from incompatible materials. See section 10 for incompatible materials.

# 7.3 Specific end use(s)

no data available

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

#### Control of environmental exposure



14078 Meridian Parkway, Riverside, CA. 92518

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: Powder color: White

b) Odour Slight acetic c) Odour Threshold no data available d) pH 2.5 - 3 (1%) e) Melting point/freezing point no data available f) Initial boiling point and boiling range no data available no data available g) Flash point no data available h) Evaporation rate i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available no data available I) Vapour density 1.4 68 °F (20 °C) m) Relative density n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

# 10.4 Conditions to avoid

Static discharge. Moisture. Heat.



14078 Meridian Parkway, Riverside, CA. 92518

### 10.5 Incompatible materials

Strong bases. Alkalies. Bases. Heat may be generated if polymer comes in contact with strong basic materials like ammonia, sodium hydroxide or strong basic amines.

# 10.6 Hazardous decomposition products

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Acute toxicity

Avoid inhalation of dust. Animal studies indicate the inhalation of respirable polyacrylate dust may cause inflammatory changes in the lung. Persons with sensitive airways (e.g., asthmatics) may react to vapors. Breathing of dust may cause coughing, mucous production, and shortness of breath.

#### Skin corrosion/irritation

Classification: Not irritating (Read across); Rabbit. Remarks: Not classified as a primary skin irritant. Pre-existing skin conditions may be aggravated by prolonged or repeated exposure. Contact dermatitis may occur in sensitive individuals under extreme and unusual conditions of prolonged and repeated contact, such as high exposure accompanied by elevated temperature and occlusion by clothing. This effect may be the result of the product's hygroscopic properties, abrasion, or pH.

## Serious eye damage/eye irritation

Classification: Not irritating (Read across); Rabbit. Remarks: Not classified as a primary eye irritant. Remarks: Particles in the eyes may cause irritation and smarting.

#### Respiratory or skin sensitisation

Classification: Not a skin sensitizer. (Read across) Not a skin sensitizer.

#### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

# Reproductive toxicity

no data available

### Specific target organ toxicity - single exposure

no data available

# Specific target organ toxicity - repeated exposure

This material readily absorbs moisture and may become thick and gelatinous upon contact with mucous membranes of the eye, or upon inhalation into the nasal passages.

### **Aspiration hazard**

no data available

#### **Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.



14078 Meridian Parkway, Riverside, CA. 92518

# **SECTION 12: Ecological information**

# 12.1 Toxicity

# 12.2 Persistence and degradability

no data available

# 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

# 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

#### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

# DOT (US)

UN number: no data available Packing group: no data available Class: no data available

Proper shipping name: no data available Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: no data available

**IMDG** 

UN number: no data available Packing group: no data available EMS-No: no data available

Proper shipping name: no data available

IATA

UN number: no data available Packing group: no data available Class: no data available



14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: no data available

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date14-Jan-2025Revision Date14-Jan-2025Print Date14-Jan-2025

**Revision Summary** SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.