

ALADDIN SCIENTIFIC CORPORATION  
14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1  
Revision Date: 2024-01-10  
Print Date: 2024-01-17

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Diacetone alcohol  
Product Number : D103437  
Brand : aladdin  
CAS-No. : 123-42-2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

### 1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION  
Address : 14078 Meridian Parkway,  
Riverside, CA. 92518  
Telephone : +1 (833) 552-7181  
Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300  
CHEMTREC®, Outside the USA :

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Eye irritation (Category 2), H319

Reproductive toxicity (Category 2), H361fd

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

|                            |                                                                                                                                  |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Hazard statement(s)        |                                                                                                                                  |
| H225                       | Highly Flammable liquid and vapor                                                                                                |
| H303                       | May be harmful if swallowed                                                                                                      |
| H319                       | Causes serious eye irritation                                                                                                    |
| H335                       | May cause respiratory irritation                                                                                                 |
| H336                       | May cause drowsiness or dizziness                                                                                                |
| H361                       | Suspected of damaging fertility or the unborn child                                                                              |
| Precautionary statement(s) |                                                                                                                                  |
| P201                       | Obtain special instructions before use.                                                                                          |
| P210                       | Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.                                  |
| P202                       | Do not handle until all safety precautions have been read and understood.                                                        |
| P233                       | Keep container tightly closed.                                                                                                   |
| P240                       | Ground/bond container and receiving equipment.                                                                                   |
| P241                       | Use explosion-proof [electrical/ventilating/lighting/...] equipment.                                                             |
| P242                       | Use only non-sparking tools.                                                                                                     |
| P243                       | Take precautionary measures against static discharge.                                                                            |
| P261                       | Avoid breathing dust/fume/gas/mist/vapors/spray.                                                                                 |
| P264                       | Wash hands [and ...] thoroughly after handling.                                                                                  |
| P271                       | Use only outdoors or in a well-ventilated area.                                                                                  |
| P280                       | Wear protective gloves/protective clothing/eye protection/face protection.                                                       |
| P312                       | Call a POISON CENTER or doctor/... if you feel unwell.                                                                           |
| P303+P361+P353             | IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].                         |
| P304+P340                  | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                                                       |
| P305+P351+P338             | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. |
| P337+P313                  | IF eye irritation persists: Get medical advice/attention.                                                                        |
| P370+P378                  | In case of fire: Use ... to extinguish.                                                                                          |
| P403                       | Store in a well-ventilated place.                                                                                                |
| P501                       | Dispose of contents/container to an approved waste disposal plant.                                                               |

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                  |                                                 |
|------------------|-------------------------------------------------|
| Synonyms         | : 4-Hydroxy-4-methyl-2-pentanone                |
| Formula          | : C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> |
| Molecular weight | : 116.16                                        |
| CAS No.          | : 123-42-2                                      |

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

EC-NO. : 204-626-7

| Component         | Classification                                                                                                                 | Concentration        |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Diacetone alcohol | Flam. Liq. 3; Eye Irrit. 2; Repr. 2; STOT SE 3; H226, H319, H361fd, H335<br>Concentration limits: >= 10 %: Eye Irrit. 2, H319; | reagent<br>grade,98% |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

by wearing suitable protective clothing.

## 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Store at room temperature.

### 7.3 Specific end use(s)

no data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Component | CAS No. | Value | Control parameters | Basis |
|-----------|---------|-------|--------------------|-------|
|           |         |       |                    |       |

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

|                           |          |        |                       |                                                                       |
|---------------------------|----------|--------|-----------------------|-----------------------------------------------------------------------|
| 2-Methyl-2-pentanol-4-one | 123-42-2 | PC-TWA | 240 mg/m <sup>3</sup> | Occupational exposure limits for workplace hazards - chemical hazards |
|---------------------------|----------|--------|-----------------------|-----------------------------------------------------------------------|

## 8.2 Exposure controls

Appropriate engineering controls

Replace contaminated clothing. Skin protection lotions are recommended. Wash your hands after using this substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                 |                   |
|-------------------------------------------------|-------------------|
| a) Appearance                                   | no data available |
| b) Odour                                        | no data available |
| c) Odour Threshold                              | no data available |
| d) pH                                           | no data available |
| e) Melting point/freezing point                 | -44°C             |
| f) Initial boiling point and boiling range      | 167.9°C           |
| g) Flash point                                  | 66°C              |
| h) Evaporation rate                             | no data available |
| i) Flammability (solid, gas)                    | no data available |
| j) Upper/lower flammability or explosive limits | no data available |
| k) Vapour pressure                              | no data available |
| l) Vapour density                               | no data available |

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

|                                           |                   |
|-------------------------------------------|-------------------|
| m) Relative density                       | 0.931             |
| n) Water solubility                       | no data available |
| o) Partition coefficient: n-octanol/water | no data available |
| p) Auto-ignition temperature              | no data available |
| q) Decomposition temperature              | no data available |
| r) Viscosity                              | no data available |
| s) Explosive properties N                 | no data available |
| t) Oxidizing properties N                 | no data available |

## 9.2 Other safety information

no data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heating.

### 10.5 Incompatible materials

various plastics, Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 3.002 mg/kg (OECD Test Guideline 401) Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis. Symptoms: mucosal irritations LD50 Dermal - Rabbit - 13.630 mg/kg Remarks: (IUCLID)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404) Remarks: (IUCLID) Drying-out effect resulting in rough and chapped skin. Dermatitis

Serious eye damage/eye irritation

---

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: <https://www.aladdinsci.com/>

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405) Remarks: (IUCLID) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene

mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test in vitro Test system:

Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test

Guideline 473 Result: negative

Carcinogenicity

no data available

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 600

mg/kg Central nervous system depression, Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness., Blood disorders, Dermatitis, Blurred vision,

Effects due to ingestion may include: To the best of our knowledge, the chemical, physical, and toxicological

properties have not been thoroughly investigated. After absorption of large quantities: narcosis respiratory arrest

Convulsions Possible damages: Damage to: Liver Kidney Central nervous system Handle in accordance with good

industrial hygiene and safety practice.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - *Oryzias latipes* (Orange-red killifish) - > 100 mg/l - 96 h (OECD Test Guideline

203) Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - *Daphnia magna* (Water flea) - >

1.000 mg/l - 48 h (OECD Test Guideline 202) semi-static test NOEC - *Daphnia magna* (Water flea) - > 1.000 mg/l - 48

h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - *Pseudokirchneriella subcapitata* (green algae) - >

1.000 mg/l - 72 h (OECD Test Guideline 201) static test NOEC - *Pseudokirchneriella subcapitata* (green algae) - >=

1.000 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 3

h (OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 98,51 % - Readily biodegradable. (OECD Test Guideline 301A)

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

no data available

**12.6 Other adverse effects**

no data available

**SECTION 13:****13.1 Disposal considerations**

Product

Hand over the remaining and non-recyclable solution to a licensed company.

Contaminated packaging

no data available

**SECTION 14: Transport information**

DOT (US)

UN number: 1148

Packing group: III

Class: 3

Proper shipping name: DIACETONE

Reportable Quantity(RQ): no data  
availablePoison Inhalation Hazard: no data  
available

ALCOHOL

Environmental Hazards: no

IMDG

UN number: 1148

Packing group: III

EMS-No: no data available

Proper shipping name: DIACETONE ALCOHOL

IATA

UN number: 1148

Packing group: III

Class: 3

Proper shipping name: DIACETONE ALCOHOL

**SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**SECTION 16: Other information**

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

|                         |                                                                                                |
|-------------------------|------------------------------------------------------------------------------------------------|
| <b>Prepared By</b>      | Regulatory Affairs<br>ALADDIN SCIENTIFIC CORPORATION<br>Email: QualityAssurance@aladdinsci.com |
| <b>Creation Date</b>    | 09-Oct-2023                                                                                    |
| <b>Revision Date</b>    | 10-Jan-2024                                                                                    |
| <b>Print Date</b>       | 17-Jan-2024                                                                                    |
| <b>Revision Summary</b> | SDS sections updated v1                                                                        |

**Disclaimer**

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.