

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2023-08-03

Print Date: 2023-12-04

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : p,p'-DDT Standard

Product Number : D128216
Brand : aladdin
CAS-No. : 50-29-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 800-424-9300 CHEMTREC®, Outside the USA : 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (class 2), H225

Acute toxicity, oral (category 3), H301

Acute toxicity, inhalation (category 3), H331

Acute toxicity, transdermal (category 3), H311

Specific target organ systemic toxicity (one exposure) (category 1), H370

Acute (short-term) aquatic hazards (category 2), H401

Long-term aquatic hazards (category 2), H411

2.2 GHS Label elements, including precautionary statements



P403+P233 P403+P235

P501

14078 Meridian Parkway, Riverside, CA. 92518

Pictogram	
Signal word	Danger
Hazard statement(s)	
H225	Highly Flammable liquid and vapor
H351	Suspected of causing cancer
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled
Precautionary statement(s)	
P101	If medical advice is needed, have product container or label at hand.
P210	Keep away from heat, hot surface, sparks, open flames and other ignition
	sources No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P311	Call a POISON CENTER or doctor/
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor/
P370+P378	In case of fire: Use to extinguish.
P405	Store locked up.

Store in a well-ventilated place. Keep cool.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container to an approved waste disposal plant.

14078 Meridian Parkway, Riverside, CA. 92518

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : 2,2-bis(4-Chlorophenyl)-1,1,1-trichloroethane; 1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane; 1,1-Bis(4-chlorophenyl)-2,2,2-trichloroethane; 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane; 4,4'-

DDT

Formula : C14H9Cl5 Molecular weight : 354.49

Comp	onent	Classification	Concentration	
Methanol				
	CAS-No.: 67-56-1 EC-No.: 200-659-6	Flam. Liq. 2; Acute Tox. 3;STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371;		
p, p'-D	DT solution			
	CAS-No.: 50-29-3 EC-No.: 200-024-3	Acute Tox. 3; Carc. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H311, H351, H372, H400, H410 M-Factor - Aquatic Acute: 100 M-Factor - Aquatic Chronic: 100		
Endrin				
	CAS-No.: 72-20-8 EC-No.: 200-775-7	Acute Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H300, H310, H400, H4 M-Factor - Aquatic Acute: 100 - Aquatic Chronic: 100	10	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed



14078 Meridian Parkway, Riverside, CA. 92518

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so.Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



14078 Meridian Parkway, Riverside, CA. 92518

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature 2 - 8 °C

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators



14078 Meridian Parkway, Riverside, CA. 92518

and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

If safety can be ensured, measures can be taken to prevent further leakage or overflow. Don't let products enter the sewer. Avoid discharging into the surrounding environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance no data available
b) Odour no data available
c) Odour Threshold no data available
d) pH no data available
e) Melting point/freezing point 108-109°C
f) Initial boiling point and boiling range 260°C

g) Flash point 72-77°C h) Evaporation rate no data available

i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.7915

n) Water solubility
no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature
no data available
q) Decomposition temperature
no data available
r) Viscosity
no data available
s) Explosive properties N
no data available
t) Oxidizing properties N
no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Vapours may form explosive mixture with air.

10.3 Possibility of hazardous reactions



14078 Meridian Parkway, Riverside, CA. 92518

no data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Acid, oxidant, alkali metal, acid chloride, anhydride, reducing agent

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

IARC: 2A - Group 2A: Probably carcinogenic to humans (1,1,1-Trichloro-2,2-bis(4- chlorophenyl)ethane) NTP: Reasonably anticipated to be a human carcinogen (1,1,1-Trichloro-2,2-bis(4- chlorophenyl)ethane) OSHA: No

component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

SECTION 12: Ecological information

12.1 Toxicity



14078 Meridian Parkway, Riverside, CA. 92518

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Toxic to aquatic organisms and having long-term lasting effects.

SECTION 13:

13.1 Disposal considerations

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1230 Packing group: II Class: 3

Proper shipping name: Methanol Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: No

IMDG

UN number: 1230 Packing group: II EMS-No: no data available

Proper shipping name: Methanol

IATA

UN number: 1230 Packing group: II Class: 3

Proper shipping name: Methanol

SECTION 15: Regulatory information



14078 Meridian Parkway, Riverside, CA. 92518

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date08-Jul-2021Revision Date03-Aug-2023Print Date04-Dec-2023

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.