

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : 1,2-Dichloroethane

Product Number : D431341
Brand : aladdin
CAS-No. : 107-06-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 5), H313

Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 2A), H319

Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335



14078 Meridian Parkway, Riverside, CA. 92518

Aspiration hazard (Category 1), H304

# 2.2 GHS Label elements, including precautionary statements

Signal word Danger

Hazard statement(s)

**Pictogram** 

H225 Highly Flammable liquid and vapor

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H313 May be harmful in contact with skin

H315 Causes skin irritation

H319 Causes serious eye irritation

H331 Toxic if inhaled

H335 May cause respiratory irritation
H351 Suspected of causing cancer

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. -

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.



14078 Meridian Parkway, Riverside, CA. 92518

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P203 Obtain, read and follow all safety instructions before use.

P264+P265 Wash hands [and ...] thoroughly after handling. Do not touch eyes.

P301+P317 IF SWALLOWED: Get medical help.

P318 if exposed or concerned, get medical advice.
P337+P317 If eye irritation persists: Get medical help.
P332+P317 If skin irritation occurs: Get medical help.
P319 Get medical help if you feel unwell.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Degassed and low oxygen 1,2-dichloroethane, 1,2-Dichloroethane ZerO<sub>2</sub>,

Ethylene dichloride, Ethylene chloride

Formula : C2H4Cl2

Molecular weight : 98.96

CAS No. : 107-06-2

EC-NO. : 203-458-1

Component	Classification	Concentration
1,2-Dichloroethane		
	no data available	anhydrous, ≥99.8%

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

### In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

### In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a



14078 Meridian Parkway, Riverside, CA. 92518

doctor or Poison Control Center immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Risk of dust explosion. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

no data available

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

# 6.4 Reference to other sections

For disposal see section 13.



14078 Meridian Parkway, Riverside, CA. 92518

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, ventilated warehouse. Light sensitive, Store away from Optical storage.

# 7.3 Specific end use(s)

no data available

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection



14078 Meridian Parkway, Riverside, CA. 92518

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

#### Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point -35.3°C f) Initial boiling point and boiling range 83.7°C g) Flash point 13°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available no data available k) Vapour pressure no data available I) Vapour density m) Relative density 1.256g/mLat 25°C (lit.) n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available no data available r) Viscosity no data available

s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# SECTION 10: Stability and reactivity

# 10.1 Reactivity

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions.



14078 Meridian Parkway, Riverside, CA. 92518

# 10.3 Possibility of hazardous reactions

Exothermic reaction with: Alkaline earth metals alkali amides Nitric acid nitrogen oxides Oxidizing agents Chlorine powdered magnesium Zinc Risk of explosion with: Alkali metals powdered aluminium Powdered metals Potassium nitrogen dioxide

### 10.4 Conditions to avoid

Warming.

# 10.5 Incompatible materials

various plastics, Light metals, Iron

# 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 770 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 7.8 mg/l - vapor (OECD Test Guideline 403)

LD50 Dermal - Rabbit - male - 4,890 mg/kg (OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - Rabbit Result: irritating (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

#### Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Result: positive Remarks: (ECHA) Test Type: Ames test Test system: Escherichia coli Metabolic activation: without metabolic activation Method: OECD Test Guideline 471 Result: positive Test Type: In vitro mammalian cell gene mutation test Test system: human lymphoblastoid cells Metabolic activation: without metabolic activation Method: OECD Test Guideline 476 Result: positive Test Type: In vitro mammalian cell gene mutation test Test system: human lymphoblastoid cells Metabolic activation: without metabolic activation Result: positive Remarks: (ECHA) Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Result: positive Remarks: (ECHA) Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Metabolic activation: without metabolic activation Method: OECD Test Guideline 482 Result: positive Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Oral Method: OECD Test Guideline 474 Result: negative Test Type: Sister chromatid exchange assay Species: Rat Cell type: mammary gland Application Route:



14078 Meridian Parkway, Riverside, CA. 92518

inhalation (vapor) Result: negative Remarks: (ECHA) Species: Drosophila melanogaster Cell type: sperm Application Route: Inhalation Method: OECD Test Guideline 477 Result: positive Test Type: Transgenic rodent somatic cell gene mutation assay Species: Mouse Application Route: Intraperitoneal Result: negative Remarks: (ECHA)

#### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

Aspiration may cause pulmonary edema and pneumonitis.

#### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 37.5 mg/kg Remarks: Subchronic toxicity Repeated dose toxicity - Mouse - male and female - Inhalation - 104 Weeks RTECS: KI0525000 Acts as a simple asphyxiant by displacing air., anesthetic effects, Difficulty in breathing, Headache, Dizziness, Prolonged or repeated contact with skin may cause:, defatting, Dermatitis, Contact with eyes can cause:, Redness, Blurred vision, Provokes tears., Effects due to ingestion may include:, Gastrointestinal discomfort, Central nervous system depression, Paresthesia., Drowsiness, Convulsions, Conjunctivitis., Pulmonary edema. Effects may be delayed., Irregular breathing., Stomach/intestinal disorders, Nausea, Vomiting, Increased liver enzymes., Weakness, Heavy or prolonged skin exposure may result in the absorption of harmful amounts of material. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Pancreas. -

### **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 136 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 160 mg/l - 48 h Remarks: (in soft water) (IUCLID)

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - 166 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 35,500 mg/l - 3 h (OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 20 d Result: > 90 % - Inherently biodegradable. Remarks: (ECHA)

# 12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus - 14 d at 16 °C - 0.957 mg/l(1,2-Dichloroethane) Bioconcentration factor (BCF): 2



14078 Meridian Parkway, Riverside, CA. 92518

# 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

# **SECTION 13:**

# 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

#### **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1184 Packing group: II Class: 3 (6.1)

Proper shipping name: ETHYLENE Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

DICHLORIDE available available

Environmental Hazards: no

**IMDG** 

UN number: 1184 Packing group: II EMS-No: no data available

Proper shipping name: ETHYLENE DICHLORIDE

**IATA** 

UN number: 1184 Packing group: II Class: 3 (6.1)

Proper shipping name: ETHYLENE DICHLORIDE

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com



14078 Meridian Parkway, Riverside, CA. 92518

Creation Date08-Dec-2023Revision Date20-Sep-2025Print Date26-Sep-2025

**Revision Summary** SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.