

14078 Meridian Parkway, Riverside, CA. 92518

## SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-12

Print Date: 2025-09-15

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name : Ethanolamine
Product Number : E103802
Brand : aladdin
CAS-No. : 141-43-5

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

## 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Long-term (chronic) aquatic hazard (Category 3), H412

## 2.2 GHS Label elements, including precautionary statements



#### 14078 Meridian Parkway, Riverside, CA. 92518

# Pictogram

Signal word Danger

Hazard statement(s)

H227 Combustible liquid

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

H401 Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P317 IF SWALLOWED: Get medical help.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P317 Get emergency medical help.

P302+P361+P354 IF ON SKIN: Take off Immediately all contaminated clothing. Immediately rinse

with water for several minutes.

P316 Get emergency medical help immediately.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

 $\hbox{Synonyms} \qquad \qquad : \ \mathsf{MEA} \ \alpha\hbox{-Hydroxyethylamine 2-Aminoethanol 2-Aminoethyl alcohol}$ 

Monoethanolamine

Formula : C2H7NO



14078 Meridian Parkway, Riverside, CA. 92518

Molecular weight : 61.08 CAS No. : 141-43-5 EC-NO. : 205-483-3

Component	Classification	Concentration
Ethanolamine		
	Flammable liquids Category 4; Acute toxicity Category 4; Skin	AR, ≥99%
	corrosion/irritation Category 1B; Serious eye damage/eye irritation	
	Category 1; Specific target organ toxicity - single exposure Category 3;	
	Short-term (acute) aquatic hazard Category 2; Longterm (chronic) aquatic	
	hazard Category 3; H227, H302, H332, H312, H314, H318, H335, H401,	
	H412	

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Unsuitable extinguishing media

Do NOT use water jet.



14078 Meridian Parkway, Riverside, CA. 92518

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

## 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep the container tightly closed and store in a dry and ventilated place. The opened container must be carefully resealed and kept in an upright position to prevent leakage.

## 7.3 Specific end use(s)

no data available

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters



14078 Meridian Parkway, Riverside, CA. 92518

## 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Immersion protection Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: > 480 min Material tested: Lapren® (Aldrich Z677558, Size M) Splash protection Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: > 30 min Material tested: Dermatril® P (Aldrich Z677388, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

no data available

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point  $10 - 11 \,^{\circ}\text{C}$  f) Initial boiling point and boiling range  $170 \,^{\circ}\text{C}$  g) Flash point  $93 \,^{\circ}\text{C}$ 



14078 Meridian Parkway, Riverside, CA. 92518

h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 1.02

n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

## 9.2 Other safety information

no data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

no data available

## 10.2 Chemical stability

Absorbs carbon dioxide (CO2) from air. Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

## 10.4 Conditions to avoid

Exposure to moisture Heat, flames and sparks.

## 10.5 Incompatible materials

Strong acids and oxidizing agents, Iron, Copper, Brass, Rubber

## 10.6 Hazardous decomposition products

no data available

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1.089 mg/kg



#### 14078 Meridian Parkway, Riverside, CA. 92518

(OECD Test Guideline 401)

LD50 Dermal - Rabbit - 1.015 mg/kg

Remarks: (RTECS)

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

no data available

**Aspiration hazard** 

no data available

**Additional Information** 

RTECS: KJ5775000

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available



14078 Meridian Parkway, Riverside, CA. 92518

#### 12.6 Other adverse effects

no data available

## **SECTION 13:**

## 13.1 Disposal considerations

#### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

DOT (US)

UN number: 2491 Packing group: III Class: 8

Proper shipping name: Ethanolamine Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: no

**IMDG** 

UN number: 2491 Packing group: III EMS-No: no data available

Proper shipping name: Ethanolamine

IATA

UN number: 2491 Packing group: III Class: 8

Proper shipping name: Ethanolamine

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date10-Sep-2020Revision Date12-Sep-2025Print Date15-Sep-2025

**Revision Summary** SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.