

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2023-12-13

Print Date: 2023-12-13

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Ethylene glycol butyl ether

Product Number : E110827
Brand : aladdin
CAS-No. : 111-76-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (category 4), H227

Acute toxicity, oral (category 4), H302

Acute toxicity, inhalation (category 2), H330

Acute toxicity, dermal (category 3), H311

Skin corrosion/irritation (category 2), H315

Serious eye damage/eye irritation (category 2A), H319

# 2.2 GHS Label elements, including precautionary statements



### 14078 Meridian Parkway, Riverside, CA. 92518

Pictogram

Signal word Danger

Hazard statement(s)

H227 Combustible liquid
H302 Harmful if swallowed
H311 Toxic in contact with skin
H315 Causes skin irritation

H319 Causes serious eye irritation

H330 Fatal if inhaled

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] Wear respiratory protection.
P310 Immediately call a POISON CENTER or doctor/physician.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P337+P313 IF eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P302+P352+P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel

unwell.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Butyl cellosolve Ethylene glycol monobutyl ether 2-Butoxyethanol Butyl



14078 Meridian Parkway, Riverside, CA. 92518

glycol

Formula : C6H14O2

Molecular weight : 118.17

CAS No. : 111-76-2

EC-NO. : 203-905-0

Component	Classification	Concentration
Ethylene glycol butyl ether		
	Flammable liquid category 4; acute toxicity category Category 4; Acute toxicity Category 2; Acute toxicity Sex category 3; skin corrosion/irritation category 2; Serious eye damage/eye irritation Category 2A; H227, H302, H330, H311, H315, H319	Analytical Reagent,99.0%

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) foam dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture



14078 Meridian Parkway, Riverside, CA. 92518

Carbon oxide is combustible. Vapor is heavier than air, so it can spread along the ground. Forms explosive mixtures with air under rapid heating. Hazardous gases or vapors may be generated in the event of a fire.

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

# SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Operate under a fume hood. Do not inhale the substance/mixture. Avoid generating vapor or smoke. Keep away from open flames, hot surfaces and sources of ignition. Take measures to prevent electrostatic discharge. Change contaminated clothing immediately. Use skin protection lotion. Wash hands and face after using this substance. For preventive measures, see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep the container tightly closed and store in a dry and ventilated place. Moisture sensitive

# 7.3 Specific end use(s)

no data available

### SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters



14078 Meridian Parkway, Riverside, CA. 92518

# 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type

ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face

supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available

e) Melting point/freezing point -75°C f) Initial boiling point and boiling range 171°C q) Flash point 61.1°C

h) Evaporation rate no data available



14078 Meridian Parkway, Riverside, CA. 92518

i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available no data available I) Vapour density m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

May react violently with it: strong oxidizer, hazardous gas or hazardous fumes when contacted with the items on the right: aluminum

### 10.4 Conditions to avoid

Strong heating

# 10.5 Incompatible materials

Strong oxidants, alcohols

### 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity



### 14078 Meridian Parkway, Riverside, CA. 92518

LD50 Oral-Guinea Pig-Male and Female-1,414 mg/kg

(OECD Test Guideline 401)

Remarks: Classification according to EU CLP Regulation 1272/2008, Annex 6 (Table 3.1/3.2)

Acute toxicity estimate Inhalation-11.1 mg/l

(Expert Opinion)

Remarks: (Appendix VI to Regulation 1272/2008 of the European Communities (EC)),

LD50 percutaneous-guinea pig-male and female-> 2,000 mg/kg

(OECD Test Guideline 402)

Remarks: (ECHA)

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

**Additional Information** 

Repeated exposure toxicity-rat-male-oral-90 days-no harmful effect observed-<69 mg/kg

Repeated exposure toxicity-rabbit-male and female-percutaneous-90 d-no harmful effect observed-> 150 mg/kg

Registration of Toxic Effects of Chemical Substances: KJ8575000

Human exposure to doses exceeding 200ppm may be expected to produce anesthesia, kidney and liver damage, showing abnormal blood patterns, such as red blood cell reduction, net

Symptomatic erythrocytosis, neutrophils, and leukocytosis may cause red blood cell fragility and hematuria. Produced by swallowing 2-butoxyethanol



14078 Meridian Parkway, Riverside, CA. 92518

The sour taste turns into a burning sensation, followed by numbness of the tongue, indicating that the sensory nerve endings are numb., Central nervous system depression, headache, anesthesia

As far as we know, the chemical, physical and toxic properties have not been fully studied.

# **SECTION 12: Ecological information**

#### 12.1 **Toxicity**

# 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no data available

# SECTION 13:

#### 13.1 **Disposal considerations**

ecycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 2810 Packing group: III

Proper shipping name: Organic toxic

Reportable Quantity(RQ): no data

liquid, not otherwise specified (2available available

Class: 6.1

Poison Inhalation Hazard: no data

butoxyethanol)



14078 Meridian Parkway, Riverside, CA. 92518

Environmental Hazards: No

**IMDG** 

UN number: 2810 Packing group: III EMS-No: no data available

Proper shipping name: Organic toxic liquid, not otherwise specified (2-butoxyethanol)

IATA

UN number: 2810 Packing group: III Class: 6.1 Proper shipping name: Organic toxic liquid, not otherwise specified (2-butoxyethanol)

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date13-Dec-2023Revision Date13-Dec-2023Print Date13-Dec-2023

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.