

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-06-13

Print Date: 2024-06-13

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ethylbenzene solution

Product Number : E117364
Brand : aladdin
CAS-No. : 100-41-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Inhalation (Category 4), H332

Specific target organ toxicity - repeated exposure (Category 2), H373

Aspiration hazard (Category 1), H304

Long-term (chronic) aquatic hazard (Category 3), H412

2.2 GHS Label elements, including precautionary statements



14078 Meridian Parkway, Riverside, CA. 92518

Signal word Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapor H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H332 Harmful if inhaled

H373 Causes damage to organs through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P281 Use personal protective equipment as required.

P331 Do NOT induce vomiting.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P301+P312 IF SWALLOWED: call a POISON CENTER/doctor/... IF you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : ethyl-Benzene; Phenylethane; aethylbenzol



14078 Meridian Parkway, Riverside, CA. 92518

Formula : C8H10 Molecular weight : 106.17

EC-No.: 202-849-4 H225, H332, H373, H304, H412

Component	Classification	Concentration		
Carbon disulfide				
CAS-No.: 75-15-0 EC-No.: 200-843-6	Flammable liquid category 2; acute toxicity category Category 3; Acute toxicity Category 4; Skin rot Erosion/irritation category 2; serious eye damage/ Eye irritation Category 2A; Reproductive toxicity Category 2; Specific target organ system toxicity (Repeated exposure) Category 1; Acute (Short-term) Aquatic hazard category 2; H225, H301, H332, H315, H319, H361, H372, H401			
Ethylbenzene solution				
CAS-No.: 100-41-4	Flam. Liq. 2; Acute Tox. 4; STOT RE 2; Asp. Tox. 1; Aquatic Chronic 3;			

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

If symptoms persist, call a physician.

If inhaled

Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention. Aspiration into lungs can produce severe lung damage.

In case of skin contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

In case of eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

If swallowed

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.

4.2 Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting, May cause central nervous system depression.

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media



14078 Meridian Parkway, Riverside, CA. 92518

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed container.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2 Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.



14078 Meridian Parkway, Riverside, CA. 92518

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands befre breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

The gloves must be checked before use. Please use the correct method to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle contaminated gloves carefully in accordance with relevant laws and regulations and effective laboratory procedures and procedures. Please clean and dry the protective gloves selected for your hands, which must comply with the specifications given in Regulation (EU) 2016/425 and the en 374 standard derived therefrom. Body Protection

Impermeable clothing, flame-retardant and anti-static protective clothing, and the type of protective equipment must be selected according to the concentration and content of the dangerous substance in the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point -95°C f) Initial boiling point and boiling range 136°C

g) Flash point no data available



14078 Meridian Parkway, Riverside, CA. 92518

h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available

j) Upper/lower flammability or

explosive limits no data available no data available k) Vapour pressure I) Vapour density no data available m) Relative density no data available no data available n) Water solubility o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral:3500 mg/kg (Rat)



14078 Meridian Parkway, Riverside, CA. 92518

LD50 Derma:15400 mg/kg (Rabbit)

LC50 Inhalation:17.2 mg/L (Rat) 4 h

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: Not available.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Do not empty into drains. The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

May have some potential to bioaccumulate.

12.4 Mobility in soil

Spillage unlikely to penetrate soil. The product is insoluble and floats on water. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Is not likely mobile in the environment due its low water solubility .Will likely be mobile in the environment due to its volatility.



14078 Meridian Parkway, Riverside, CA. 92518

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

no data available

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1175 Packing group: II Class: 3

Proper shipping name: ETHYLBENZENE Reportable Quantity(RQ): no data

Poison Inhalation Hazard: no data

available available

Environmental Hazards: no

IMDG

UN number: 1175 Packing group: II EMS-No: no data available

Proper shipping name: ETHYLBENZENE

IATA

UN number: 1175 Packing group: II Class: 3

Proper shipping name: ETHYLBENZENE

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: Quality Assurance @aladdinsci.com

Creation Date18-Sep-2021Revision Date13-Jun-2024Print Date13-Jun-2024

Revision Summary SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.