

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-01-09

Print Date: 2025-01-09

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Formate
Product Number : F100377
Brand : aladdin
CAS-No. : 64-18-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Skin corrosion (Sub-category 1A), H314

Serious eye damage (Category 1), H318

# 2.2 GHS Label elements, including precautionary statements

**Pictogram** 







Signal word

Danger



14078 Meridian Parkway, Riverside, CA. 92518

Hazard statement(s)

H226 Flammable liquid and vapor H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H331 Toxic if inhaled

Precautionary statement(s)

P233 Keep container tightly closed.

P235 Keep cool.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Formic acid
Formula : CH2O2
Molecular weight : 46.03
CAS No. : 64-18-6
EC-NO. : 200-579-1

Component	Classification	Concentration
Formato		

no data available AR, ≥98%



14078 Meridian Parkway, Riverside, CA. 92518

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General advice

First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

#### Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal



14078 Meridian Parkway, Riverside, CA. 92518

protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and ventilated warehouse. Argon filling, Easy to absorb moisture

### 7.3 Specific end use(s)

no data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

Ī	Component	CAS	Value	Control	Basis
				parameters	



14078 Meridian Parkway, Riverside, CA. 92518

Formic acid	64-	PC-	10 mg/m3	Occupational
	18-	TWA		exposure
	6			limits for
				hazardous
				agents in the
				workplace -
				Chemical
				hazardous
				agents
		PC-	20 mg/m3	Occupational
		STEL		exposure
				limits for
				hazardous
				agents in the
				workplace -
				Chemical
				hazardous
				agents.
				exposure limits for hazardous agents in workplace Chemical hazardous

# 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

#### Control of environmental exposure



14078 Meridian Parkway, Riverside, CA. 92518

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless to Very Faint Yellow

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 8.2-8.4°C f) Initial boiling point and boiling range 100-101°C g) Flash point 50°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available m) Relative density no data available

n) Water solubility Miscible in water, ether, acetone, ethyl acetate, glycerol, methanol and

ethanol. Partially miscible in benzene, toluene and xylene.
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Easy to absorb moisture

#### 10.4 Conditions to avoid



14078 Meridian Parkway, Riverside, CA. 92518

Heating.

### 10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Powdered metals

### 10.6 Hazardous decomposition products

no data available

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 730 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 7,85 mg/l

(OECD Test Guideline 403)

#### Skin corrosion/irritation

Skin - Rabbit Result: Severe skin irritation (Draize Test)

#### Serious eye damage/eye irritation

Causes serious eye damage. conjunctivitis Lacrimal irritation due to vapours.

### Respiratory or skin sensitisation

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406) Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

#### Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative sister chromatid exchange assay Chinese hamster lung cells Result: negative sister chromatid exchange assay Human lymphocytes Result: negative In vitro mammalian cell gene mutation test Chinese hamster ovary cells Result: negative Chromosome aberration test in vitro Chinese hamster ovary cells Result: negative OECD Test Guideline 477 Drosophila melanogaster - male Result: negative

#### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

#### Specific target organ toxicity - single exposure

no data available

#### Specific target organ toxicity - repeated exposure

no data available

### **Aspiration hazard**

no data available

#### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 52 Weeks - NOAEL (No observed adverse effect level) - 400 mg/kg - LOAEL (Lowest observed adverse effect level) - 2.000 mg/kgRemarks: (in analogy to similar products) RTECS:



14078 Meridian Parkway, Riverside, CA. 92518

### LQ4900000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Kidney - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - 130 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: ammonium formate Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 365 mg/l - 48 h

(OECD Test Guideline 202)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: ammonium formate Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 1.240 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: ammonium formate Toxicity to bacteria static test NOEC - activated sludge - 72 mg/l - 13 d Remarks: (ECHA)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d Result: 100% - Readily biodegradable. (OECD Test Guideline 301C) Biochemical Oxygen Demand (BOD) 86 mg/g Remarks: (External MSDS) Ratio BOD/ThBOD 8,60%

### 12.3 Bioaccumulative potential

Bioaccumulation is unlikely. Does not significantly accumulate in organisms.

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available



14078 Meridian Parkway, Riverside, CA. 92518

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

### 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

#### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1779 Packing group: II Class: 8 (3)

Proper shipping name: FORMIC ACID Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

> available available

Environmental Hazards: no

**IMDG** 

UN number: 1779 EMS-No: no data available Packing group: II

Proper shipping name: FORMIC ACID

IATA

UN number: 1779 Class: 8 (3) Packing group: II

Proper shipping name: FORMIC ACID

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

**Prepared By Regulatory Affairs** 

> ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

**Creation Date** 09-Nov-2022 **Revision Date** 09-Jan-2025 **Print Date** 09-Jan-2025

**Revision Summary** SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.