# SAFETY DATA SHEET

Version: v1 Revision Date: 2024-01-10 Print Date: 2024-01-10

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name	: Formaldehyde solution
Product Number	: F140859
Brand	: aladdin
CAS-No.	: 50-00-0(ethanol)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances
-------------------------------------------------------------------

### 1.3 Company

Company	: ALADDIN SCIENTIFIC CORPORATION
Address	: 14078 Meridian Parkway,
Riverside, CA. 92518	
Telephone	: +1 (833) 552-7181
Fax	: no data available

#### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA	: 1-800-424-9300
CHEMTREC®, Outside the USA	:

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 2), H330

Acute toxicity, Dermal (Category 3), H311

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 2), H341

## ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Carcinogenicity (Category 1B), H350

Specific target organ toxicity - single exposure (Category 1), Eyes, Central nervous system, H370

 $\land$ 

 $\mathbf{A}$ 

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

 $\frown$ 

# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	
H226	Flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H350	May cause cancer
H370	Causes damage to organs
H401	Toxic to aquatic life
H301+H311	Toxic if swallowed or in contact with skin
Precautionary statement(s)	
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surface, sparks, open flames and other ignition
	sources No smoking.
P202	Do not handle until all safety precautions have been read and understood.
P233	Keep container tightly closed.
P235	Keep cool.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] Wear respiratory protection.
P310	Immediately call a POISON CENTER or doctor/physician.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses if present and easy to do - continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor/
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use to extinguish.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Synonyms	: Formaldehyde standard solution; formalin; formaldehyde, formaldehyde,
formate solution	
Formula	: CH2O
Molecular weight	: 30.03

Component	Classification	Concentration
Formaldehyde solution		
CAS-No. : 50-00-0 EC-No. : 200-001-8	Acute Tox. 3; Acute Tox. 2; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Muta. 2; Carc. 1B; STOT SE 3; H301, H330, H311, H314, H318, H317, H341, H350, H335 Concentration limits: >= 25 %: Skin Corr. 1B, H314; 5 - < 25 %: Skin Irrit. 2, H315; 5 - < 25 %: Eye Irrit. 2, H319; >= 5 %: STOT SE 3, H335; >= 0,2 %: Skin Sens. 1, H317;	
Methanol		
CAS-No. : 67-56-1 EC-No. : 200-659-6	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371;	

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### General advice

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance. If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor. In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Use dry chemical, carbon dioxide or alcohol-resistant foam. Unsuitable extinguishing media no data available

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Mixture with combustible ingredients. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

#### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place.

#### 7.3 Specific end use(s)

no data available

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and

approved under appropriate government standards such as NIOSH (US) or EN

166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374

> derived from it. Body Protection Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection,use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU). Control of environmental exposure Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	-15°C
f) Initial boiling point and boiling range	97°C
g) Flash point	64°C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or	
explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/wate	r no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

#### 9.2 Other safety information

no data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

- 10.3 Possibility of hazardous reactions no data available
- 10.4 Conditions to avoid Heating.
- 10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

no data available

## SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Inhalation - 4 h - 1,24 mg/l

(Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory

tract Acute toxicity estimate Dermal - 519,28 mg/kg

(Calculation method)

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive after 3 minutes to 1 hour of exposure - 20 h (OECD Test Guideline 404) Mixture causes burns.

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive - 7 d (OECD Test Guideline 405) Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: Causes sensitization. May cause allergic skin reaction. (OECD Test Guideline 406) Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

no data available

Carcinogenicity

> no data available Reproductive toxicity no data available Specific target organ toxicity - single exposure Mixture causes damage to organs. - Eyes, Central nervous system Mixture may cause respiratory irritation. Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Additional Information To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded. This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

#### **SECTION 12: Ecological information**

- 12.1 Toxicity
- 12.2 Persistence and degradability

no data available

- 12.3 Bioaccumulative potential no data available
- 12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

### SECTION 13:

#### 13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.



> Observe all federal, state and local regulations when disposing of the substance. Contaminated packaging Dispose of as unused product.

#### **SECTION 14: Transport information**

DOT (US)		
UN number: 1198	Packing group: III	Class: 3 (8)
Proper shipping name:	Reportable Quantity(RQ): no data	Poison Inhalation Hazard: no data
FORMALDEHYDE SOLUTION,	available	available
FLAMMABLE		
Environmental Hazards: no		
IMDG		
UN number: 1198	Packing group: III	EMS-No: no data available
Proper shipping name: FORMALDEHYDE SOLUTION, FLAMMABLE		
ΙΑΤΑ		
UN number: 1198	Packing group: III	Class: 3 (8)
Proper shipping name: FORMALDEF	IYDE SOLUTION, FLAMMABLE	

#### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Prepared By	Regulatory Affairs ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com
Creation Date	15-Sep-2021
Revision Date	10-Jan-2024
Print Date	10-Jan-2024
Revision Summary	SDS sections updated v1

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.