

ALADDIN SCIENTIFIC CORPORATION  
14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1  
Revision Date: 2024-01-16  
Print Date: 2024-01-23

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Iron chloride hexahydrate  
Product Number : F419646  
Brand : aladdin  
CAS-No. : 10025-77-1

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

### 1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION  
Address : 14078 Meridian Parkway,  
Riverside, CA. 92518  
Telephone : +1 (833) 552-7181  
Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300  
CHEMTREC®, Outside the USA :

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)  
Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H302

Harmful if swallowed

H315

Causes skin irritation

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

H318	Causes serious eye damage
Precautionary statement(s)	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: call a POISON CENTER/doctor/... IF you feel unwell.
P302+P352	IF ON SKIN: wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	: Ferric chloride hexahydrate;Iron(III) chloride hexahydrate
Formula	: FeCl3
Molecular weight	: 270.30
CAS No.	: 10025-77-1
EC-NO.	: no data available

Component	Classification	Concentration
Iron chloride hexahydrate	Met. Corr. 1; Acute Tox. 4; < Skin Irrit. 2; Eye Dam. 1; H290, H302, H315, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290;	98%

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice

Consult a physician.Show this safety data sheet to the doctor in attendance.Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air.If not breathing, give artificial respiration.Consult a physician.

In case of skin contact

Wash off with soap and plenty of water.Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person.Rinse mouth with water.Consult a physician

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

#### 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas.Iron oxides.Not combustible.Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

no data available

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection.Avoid dust formation.Avoid breathing vapors, mist or gas.Ensure adequate ventilation.Evacuate personnel to safe areas.Avoid breathing dust.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes.Avoid formation of dust and aerosols.Provide appropriate exhaust ventilation at places where dust is formed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Moisture sensitive , Fill with argon and store dry.

---

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: <https://www.aladdinsci.com/>

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

### 7.3 Specific end use(s)

no data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

no data available

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	form: Chunk(s) color: Faint Yellow to Very Dark Yellow ,Yellow-Brown and Yellow-Orange
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	37°C
f) Initial boiling point and boiling range	280-285°C
g) Flash point	no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

## 9.2 Other safety information

no data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Risk of explosion with:Alkali metals,Ethylene oxide

### 10.4 Conditions to avoid

Exposure to moisture.

### 10.5 Incompatible materials

Mild steelMetals

### 10.6 Hazardous decomposition products

no data available

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 316 mg/kg

---

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Remarks: (RTECS)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: iron dichloride

Skin corrosion/irritation

Skin - Rabbit Result: irritating Remarks: (IUCLID)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Severe irritations (OECD Test Guideline 405)

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Test Type: Ames test Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): micronucleus. Method: OECD Test Guideline 487 Result: negative Test Type: In vivo micronucleus test Species:

Mouse Result: negative Remarks: (External MSDS)

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: N05425000

Overdose of iron compounds may have a corrosive effect on the gastrointestinal mucosa and be followed by necrosis, perforation, and stricture formation. Several hours may elapse before symptoms that can include epigastric pain, diarrhea, vomiting, nausea, and

hematemesis occur. After apparent recovery a person may experience metabolic acidosis, convulsions, and coma hours or days later. Further complications may develop leading to acute liver necrosis that can result in death due to hepatic coma.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill sunfish) - 20,3 mg/l - 96 h

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 9,6 mg/l - 48 h

Remarks: (ECHA)

## 12.2 Persistence and degradability

Result: - Readily biodegradable.

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available

## 12.6 Other adverse effects

Product reacts with water. The following may develop after reaction of the product with water: hydrochloric acid.  
Discharge into the environment must be avoided.

---

## SECTION 13:

### 13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

DOT (US)

UN number: 3260

Packing group: III

Class: 8

Proper shipping name: Corrosive solid, Reportable Quantity(RQ): no data  
acidic, inorganic, n.o.s. (Iron trichloride available  
hexahydrate)

Poison Inhalation Hazard: no data  
available

Environmental Hazards: No

IMDG

UN number: 3260

Packing group: III

EMS-No: no data available

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Iron trichloride hexahydrate)

IATA

UN number: 3260

Packing group: III

Class: 8

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Iron trichloride hexahydrate)

ALADDIN SCIENTIFIC CORPORATION  
14078 Meridian Parkway, Riverside, CA. 92518

---

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

---

## SECTION 16: Other information

**Prepared By**

Regulatory Affairs  
ALADDIN SCIENTIFIC CORPORATION  
Email: QualityAssurance@aladdinsci.com

**Creation Date**

09-Jan-2024

**Revision Date**

16-Jan-2024

**Print Date**

23-Jan-2024

**Revision Summary**

SDS sections updated v1

**Disclaimer**

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.