

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-10

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Hexamethyl disilylamine

Product Number : H106017
Brand : aladdin
CAS-No. : 999-97-3

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

## 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 3), H311

Long-term (chronic) aquatic hazard (Category 3), H412

# 2.2 GHS Label elements, including precautionary statements

Pictogram









Signal word

Danger



14078 Meridian Parkway, Riverside, CA. 92518

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation H370 Causes damage to organs

H412 Harmful to aquatic life with long lasting effects

H311+H331 Toxic in contact with skin or if inhaled.

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor/...

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use ... to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms : 1,1,1,3,3,3-Hexamithyl disilazane; HMDS

Formula : C6H19NSi2 Molecular weight : 161.39 CAS No. : 999-97-3



14078 Meridian Parkway, Riverside, CA. 92518

EC-NO. : 213-668-5

Component	Classification	Concentration
Hexamethyl disilylamine		
	no data available	98%

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) silicon oxides Combustible. Fire may cause evolution of: Millipore- 8.04324 Page 4 of 10 The life science business of Merck operates as MilliporeSigma in the US and Canada nitrogen oxides Caution! in contact with water product releases: Ammonia, formaldehyde vapours Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.



14078 Meridian Parkway, Riverside, CA. 92518

## 5.3 Advice for firefighters

no data available

#### 5.4 Further information

Use water spray to cool unopened containers

# SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so.Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

no data available

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

## 7.2 Conditions for safe storage, including any incompatibilities

Handle under nitrogen, protect from moisture. Store under nitrogen. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic, Fill with argon and store dry.

# 7.3 Specific end use(s)

no data available

#### SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters



14078 Meridian Parkway, Riverside, CA. 92518

## 8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

no data available

## SECTION 9: Physical and chemical properties

## Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available

d) pH > 7.0

e) Melting point/freezing point -80 °C (-112 °F) f) Initial boiling point and boiling range 125 °C at 1.013 hPa g) Flash point 11.4 °C - closed cup

h) Evaporation rate

9.1

i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits

0.8 %(V) /16.3 %(V)

k) Vapour pressure

19 hPa at 20 °C

l) Vapour density

no data available

m) Relative density

0.77 at 20 °C

n) Water solubility

no data available

o) Partition coefficient: n-octanol/water log Pow: 2.62



14078 Meridian Parkway, Riverside, CA. 92518

p) Auto-ignition temperature

q) Decomposition temperature

r) Viscosity

s) Explosive properties N

t) Oxidizing properties N

no data available

no data available

Viscosity, kinematic: 0,9 mm2/s at 20 °C

no data available

no data available

## 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

no data available

### 10.2 Chemical stability

Vapours may form explosive mixture with air.

## 10.3 Possibility of hazardous reactions

Risk of explosion with: Nitric acid Oxidizing agents can decompose violently in contact with: Amines mercaptans Exothermic reaction with: Alcohols nitrates strong reducing agents hydrides bases acids Water Release of: Ammonia formaldehyde

## 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

no data available

## 10.6 Hazardous decomposition products

no data available

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity

Skin - rabbit - Severe skin irritation - Draize Test

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity



14078 Meridian Parkway, Riverside, CA. 92518

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471 Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

Aspiration hazard

Toxicity to fish LC50 - Danio rerio (zebra fish) - 88 mg/l - 96.0 h Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 80.00 mg/l - 48 h Toxicity to algae EC50 -

Desmodesmus subspicatus (green algae) - 19.00 mg/l - 72 h

Additional Information

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Danio rerio (zebra fish) - 88 mg/l - 96 h

(Directive 67/548/EEC, Annex V, C.1.)

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 80 mg/l - 48 h

(Directive 67/548/EEC, Annex V, C.2.)

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 19,00 mg/l - 72 h

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 15,3 % - Not readily biodegradable.

## 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available



14078 Meridian Parkway, Riverside, CA. 92518

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

# 13.1 Disposal considerations

**Product** 

no data available

Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 3286 Packing group: II Class: 3 (6.1, 8)

Proper shipping name: Flammable Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

liquid, toxic, corrosive, n.o.s.(1,1,1,3,3,3- available available

Hexamethyldisilazane)
Environmental Hazards: No

**IMDG** 

UN number: 3286 Packing group: II EMS-No: no data available

Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s.(1,1,1,3,3,3-Hexamethyldisilazane)

IATA

UN number: 3286 Packing group: II Class: 3 (6.1, 8) Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s.(1,1,1,3,3,3-Hexamethyldisilazane)

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date10-Sep-2020Revision Date10-Jan-2024Print Date10-Jan-2024

Revision Summary SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.