

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-21

Print Date: 2024-01-27

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Standard substance of Heptachlor epoxide solution in N-hexane

Product Number : H419581 Brand : aladdin

CAS-No. : 1024-57-3(N-hexane)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Skin corrosion/irritation (Category 2), H315

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - single exposure (Category 3), Narcotic effects, H336

Specific target organ toxicity - repeated exposure (Category 2), H373

Aspiration hazard (Category 1), H304

Short-term (acute) aquatic hazard (Category 2), H401

Long-term (chronic) aquatic hazard (Category 2), H411



14078 Meridian Parkway, Riverside, CA. 92518

# 2.2 GHS Label elements, including precautionary statements

Signal word Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn child

H373 Causes damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER or doctor/... if you feel unwell.

P331 Do NOT induce vomiting.

P391 Collect spillage.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.



14078 Meridian Parkway, Riverside, CA. 92518

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Synonyms : no data available
Formula : no data available
Molecular weight : no data available

Component	Classification	Concentration
n-Hexane		
CAS-No.: 110-54-3	Flam. Liq. 2; Skin Irrit. 2; Repr. 2; STOT SE 3; STOT RE 2; Asp. Tox. 1;	
EC-No.: 203-777-6	Aquatic Chronic 2; H225, H315, H361f, H336, H373, H304, H411	
	Concentration limits:>= 5 %: STOT RE 2, H373; >= 20 %: STOT SE 3, H336;	

# Heptachlor exo-epoxide solution

\_\_\_\_

CAS-No.: 1024-57-3 Acute Toxicity, Category 2; Carcinogenicity, Category 2; Specific Target

EC-No. : Organ System Toxicity (repeated exposure) category 2; Acute (short-

term) Aquatic Hazard, Category 1; Long-term Water, Health Hazard, Category 1; H300, H351, H373, H400, H410 m-factor-Aquatic Acute: 10

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available



14078 Meridian Parkway, Riverside, CA. 92518

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder Unsuitable extinguishing media no data available

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep the container tightly closed and store in a dry and ventilated place. Store at -20°C.



14078 Meridian Parkway, Riverside, CA. 92518

# 7.3 Specific end use(s)

no data available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available e) Melting point/freezing point no data available f) Initial boiling point and boiling range no data available



14078 Meridian Parkway, Riverside, CA. 92518

g) Flash point	no data available	
h) Evaporation rate	no data available	
i) Flammability (solid, gas)	no data available	

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available no data available t) Oxidizing properties N

# 9.2 Other safety information

no data available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Warming.

### 10.5 Incompatible materials

rubber, various plastics

# 10.6 Hazardous decomposition products

no data available

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity



#### 14078 Meridian Parkway, Riverside, CA. 92518

LD50 Oral - Rat - male and female - 16,000 mg/kg

(OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - 172 mg/l - vapor

Remarks: (RTECS)

LD50 Dermal - Rabbit - male - > 2,000 mg/kg

(OECD Test Guideline 402)

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: Skin irritation - 24 h (OECD Test Guideline 404) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 72 h (OECD Test Guideline 405)

Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

No data available Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: dominant lethal test Species: Mouse Application Route: inhalation (vapor) Result: negative Remarks: (ECHA)

Carcinogenicity

no data available

Reproductive toxicity

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. Suspected human reproductive toxicant Suspected of damaging fertility. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Nervous system Remarks:

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

no data available

Additional Information

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) - 6.6 mg/kg Remarks: (ECHA) RTECS: MN9275000 Drowsiness, irritant effects, somnolence narcosis, Nausea, Tiredness, CNS disorders, paralysis symptoms Risk of corneal clouding. It generally applies for aliphatic hydrocarbons with 6 - 18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**



14078 Meridian Parkway, Riverside, CA. 92518

#### 12.1 **Toxicity**

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 2.5 mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 2.1 mg/l - 48 h

Remarks: (Lit.)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 98 % - Readily biodegradable. (OECD Test Guideline 301F) Remarks: (in analogy to similar products)

#### Bioaccumulative potential 12.3

no data available

### 12.4 Mobility in soil

no data available

#### Results of PBT and vPvB assessment 12.5

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

#### 13.1 **Disposal considerations**

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.

Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 1208

Packing group: II

Class: 3

available

Proper shipping name: HEXANES

Reportable Quantity(RQ): no data

Poison Inhalation Hazard: no data

available

Environmental Hazards: yes

**IMDG** 



14078 Meridian Parkway, Riverside, CA. 92518

UN number: 1208 Packing group: II EMS-No: no data available

Proper shipping name: HEXANES

IATA

UN number: 1208 Packing group: II Class: 3

Proper shipping name: HEXANES

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date30-Mar-2022Revision Date21-Jan-2024Print Date27-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.